

# THE PUSH-FIT SOLUTION FOR PLUMBING & HEATING SYSTEMS

Speedfit Fittings are suitable for use with copper pipe.



Celebrating 50 Years of Innovation

Includes these **NEW** additions:

 Overlay Heating System Manifolds • Wireless Heating Control System + Many More



# **John Guest**<sup>®</sup> Worldwide connections

The John Guest Group has a long established reputation as a world leading manufacturer of push-in fittings, tube and other fluid control products. A reputation built on producing consistently high quality products with an ongoing commitment to value engineering and product development.





## A commitment to quality is at the heart of the John Guest Philosophy.

The strictest control is maintained by virtue of the fact that design and manufacture is carried out in modern purpose built manufacturing centres in west London and at Maidenhead in Berkshire.

Maintaining control over the whole process from initial tool design and tool making through to final assembly and testing ensuring that only products of the highest quality are produced.

The company believe it is this commitment to quality that has led to it receiving prestigious awards from many of the world's leading testing and approvals organisations.

John Guest is a preferred supplier to many international companies.







EM01977





**British Gas** 

Service









## THE PUSH-FIT SOLUTION FOR PLUMBING AND HEATING SYSTEMS

JG Speedfit is a push-fit system suitable for the plumbing of domestic hot and cold water services and central heating applications, including pressurised and combi systems.

The System is approved by the British Board of Agrément and the Water Regulations Advisory Scheme. Speedfit 'PEM' fittings and PEX and Polybutylene Barrier Pipe are Kitemarked to BS7291 Parts 1, 2 and 3 Class S Licence No KM39767.

## SYSTEM FEATURES

- Truly demountable without damage to pipe or fitting
- Grip and seal connection
- Superseal Insert gives secondary seal
- Reduced pipe insertion force
- · Lightweight and easy to handle on site



Performance specifications are well within those required for most central heating and water supply systems including:

- Mains fed and indirect cold water systems
- Vented and unvented hot water systems
- Vented central heating systems
- Sealed central heating systems provided temperatures and pressures comply with BS7291 Parts 1, 2 and 3 Class S
- Underfloor heating

Extensive tests have shown that Speedfit products will withstand temperatures and pressures well in excess of normal working conditions.

JG *Speedfit* should be installed to conform with good plumbing practice.

Speedfit should not be used for gas, fuel oil or compressed air applications.

## **Technical Support**

Our national team of Technical Support Engineers is available to help you get the best from your *Speedfit* System. This includes a free underfloor heating estimate and CAD design service.

## Technical Help Desk: 01895-425333

The **JG** *Speedfit* Technical Advisory Service is available to assist and advise on the aspects of the *Speedfit* System. The service is available 8:00am to 5:00pm Monday to Friday.

## SYSTEM BENEFITS

- Installation time reduced by up to 40%
- Pipe flexibility permits the cabling of pipe through less accessible areas
- No risk of fire or flames from a blowtorch
- Easier to work in confined places
- A permanent leak-proof connection
- Corrosion free
- No scale build up
- Lower thermal diffusivity maintains safer surface temperature
- Pipe elasticity can reduce the possibility of bursting under freezing conditions
- Lead free and non toxic
- Less noise from water flow and expansion/contraction
- Long pipe lengths reduce fittings required

## **GUARANTEE**

As a result of long term test programmes and rigorous quality standards, John Guest Speedfit Limited offer a 25 year guarantee against the defects in materials or manufacturing of 'PEM', 'PSE' and 'SFM' Range Plumbing Fittings and Speedfit Barrier Pipe manufactured by John Guest.

John Guest Underfloor Heating Products, Brass Manifolds and Radiator Valves, which should be installed and maintained in accordance with our recommendations, carry a 2 year guarantee from date of delivery against defects in materials and manufacture.

John Guest Plumbing and Heating Products are for use with normal UK domestic plumbing and heating systems and supplied in accordance with our Conditions of Sale.




## HOW SPEEDFIT WORKS

Speedfit Fittings have a unique grip then seal construction, made up of a collet with stainless steel teeth to grip the pipe and an 'O' ring to provide a permanent leak proof seal.

Use of the Superseal Pipe Insert ensures a double 'O' ring seal.

The head of the insert has been designed for ease of insertion.


The additional benefit of Twist and Lock Fittings is that a twist of a screwcap locks the pipe in position and gives increased compression on the 'O' ring for even greater security.



## MAKING A GOOD CONNECTION

## PREPARE THE PIPE


Fittings and pipe should be kept clean bagged and undamaged before use.



Ensure the pipe is free of score marks. Cut the pipe square. When using Speedfit Barrier Pipe cut along an insertion mark. We recommend the use of JG Pipe Cutters.


To prevent damage to the 'O' ring remove all burrs and sharp edges. When connecting Speedfit Pipe use a Superseal Pipe Insert or a Standard Speedfit Pipe Insert. A twisting motion will aid insertion. The insert should only be used with Speedfit Pipe.

## **NEW TWIST AND LOCK FITTINGS**



The fitting should be in the 'unlocked' position, this is shown with a small gap between the screwcap and the body flange.

Push the pipe fully into the fitting, up to the pipe stop. If the Speedfit Pipe has been cut correctly the insertion mark on the pipe will be level with the collet head. The 'O' ring on the Superseal Pipe Insert provides a secondary seal against the bore of the fitting. A good connection has been made.



If you are not using collet clips, ensure that the screwcaps are in the locked position. Pull to check it is secure. It is


Twist the screwcap until it touches the body flange. This

increases the 'O' ring seal around the pipe and locks the


pipe into position.

good practice to test the system prior to leaving the site or before use. Our recommended test procedure is shown in our Technical Checklist.

## ADDED BENEFIT TWIST AND LOCK




## STANDARD SPEEDFIT FITTINGS



Standard Speedfit connections are made in the same way as Twist and Lock.


Push Pipe up to Pipe Stop. If the Speedfit Pipe has been cut correctly the insertion mark on the pipe will be level with the collet head.



Pull to check connection is secure and test the system. Our recommended test procedure is shown in our Technical Checklist on page 28.

## **TO DISCONNECT**

Ensure that the system is depressurised.






The screwcap on Twist and Lock Fittings will need to be turned back to the unlocked position.

Push the collet square against the face of the fitting by using fingers or with the help of our collet release tool.

With the collet held in position the pipe can be removed. The fitting can be used again without the need for replacement parts.

## WHAT NOT TO DO



Don't use hacksaws to cut the pipe or leave burrs on the end of the pipe.

Don't use damaged or scored pipe. Score marks can cause leaks passed the 'O' Ring



Don't forget to push the pipe fully into the fitting, past both the collet (gripper) and the 'O' ring.

Do not insert fingers into the fitting as the stainless steel teeth may cause injury.

Remember to pressure test the completed installation according to the recommendations in our Technical Checklist.

# **CONTENTS:**





## WHITE PLUMBING FITTINGS

## **EQUAL STRAIGHT CONNECTOR**



Part No.	SIZE MM	Bag Qty	SMALL BOX	Large Box
PEM0410W	10	10	150	
PEM0415W	15	10	60	400
PEM0422W	22	5	30	200
PEM0428W	28		25	

Suitable for central heating systems.

## **REDUCING STRAIGHT COUPLER**



No.	MM	Qty	Qty
PEM201510W	15 x 10	10	80
PEM202215W	22 x 15	5	40

## **PE-COPPER COUPLER**



Used to connect PE Pipe to copper or Speedfit Plumbing Pipe Must not be buried directly into ground, soil, concrete or other substrates.

Part No.	Size MM	Bag Qty	Box Qty
UG601B	20 x 15	1	150
UG603B	25 x 15	1	100
UG602B	25 x 22	1	80
UG604B	32 x 28	1	60
Cold water only	• T	aken from th	ne range of

Taken from the range of Speedfit Fittings for Cold Water Services, See separate section for details and Technical Specification.

## **EQUAL ELBOW**



Part No.	MM	Bag Qty	Box	LARGE BOX
PEM0310W	10	10	150	1000
PEM0315W	15	10	50	400
PEM0322W	22	5	25	150
PEM0328W	28		15	

Suitable for central heating systems

## **REDUCING ELBOW**



Part No.	SIZE MM	Bag Qty	Box Qty
PEM211510W	15 x 10		
PEM212215W	22 x 15	5	40
Suitable for central heat	ing systems		

## **STEM ELBOW**



Provides a swive type connection.

Part No.	PIPE MM	STEM MM	Bag Qty	SMALL BOX	LARGE BOX
PEM221010W	10	10	10	200	
PEM221015W	10	15	10	150	
PEM221515W	15	15	10	80	500
PEM222222W	22	22	5	30	TBA

Please note a Collet Cover cannot be used on a Speedfit end assembled with the stem of a 22mm Stem Elbow.

## **EQUAL TEE**



Part No.	SIZE MM	Bag Qty	Small Box	Large Box
PEM0210W	10	10	100	
PEM0215W	15	5	40	250
PEM0222W	22	5	15	100
PEM0228W	28		10	

Suitable for central heating systems

## **REDUCING TEE**



3

	PEM3015AW
-	PEM3022CW
	PEM3022BW
as follows.	PEM3022DW
	PEM302210AW
2	PEM3022AW
	DEMODOD

Part No.	SIZE MM	Bag Qty	Small Box	Large Box
PEM3015BW	15x10x10	10	60	
PEM3015AW	15x15x10	5	40	
PEM3022CW	15x15x22	5	25	
PEM3022BW	22x15x15	5	25	150
PEM3022DW	22x15x22	5	15	150
PEM302210AW	22x22x10	5	20	
PEM3022AW	22x22x15	5	15	
PEM3028BW	28x22x22		10	
PEM3028DW	28x22x28		10	
PEM302810AW	28x28x10		15	
PEM302815AW	28x28x15		10	
PEM3028AW	28x28x22		10	

Suitable for central heating systems.

## **STEM TEE**

1



Part No.	Size MM	Bag Qty	Box Qty
PEM532210W	22x22x10	5	30
PEM532215W	22x22x15	5	25

Small Box

150

100

70

50

LARGE BOX

250

600

400

BAC

QTY

10

10

5

5

Suitable for central heating systems.

Sizes listed as follows 1-- 2

3

## **FEMALE COUPLER - TAP CONNECTOR**

Part No.

PSE3210W

PSE3201W

PSE3203W



Requires hand tightening only

PSE3202W Suitable for central heating systems

> Note: Plastic threads are not as strong as metal threads. For torque figures see Technical Checklist.

SIZE

MM X BS

10 x 1/2"

15 x 1/2"

15 x 3/4"

22 x 3/4"

## STRAIGHT TAP CONNECTOR



Part No.	SIZE MM X BSP	Bag Qty	Box Qty
PEMSTC1014	10 x 1/2"	10	150
PEMSTC1514	15 x 1/2"	5	50
PEMSTC1516	15 x 3/4"	5	50
PEMSTC2216	22 x 3/4"	5	40

Suitable for central heating systems. With brass swivel nut and sealing washer. For torque figures see Technical Checklist.

## **BENT TAP CONNECTOR**



PEMBTC1514	15 x 1/2"	5	50
PEMBTC1014	10 x 1/2"	10	150
Part No.	SIZE MM X BSP	Bag Qty	Box Qty

With brass swivel nut and sealing washer. For torque figures see Technical Checklist.

## **STOP END**



Part No.	SIZE MM	Bag Qty	Small Box	Large Box
PSE4610W	10	10	300	500
PSE4615W	15	10	200	1000
PSE4622W	22	5	80	500
PSE4628W	28	5	50	

REDUCER



PEM062822W	28 x 22	5	30	
PEM062815W	28 x 15	5	40	
PEM062215W	22 x 15	10	70	
PEM061510W	15 x 10	10	150	1000
Part No.	Size MM	Bag Qty	Small Box	Large Box

## **TANK CONNECTOR**

-	Require tighten
	Maxim thickne of tank

	PART	SIZE	BAG	Box
nd	No.	MM	QTY	Qty
nly.	CM0715S	15	10	60
all	CM0722S	22	5	20
ım.	CM0728S	28		10

## **PLUG**



SIZE MM	Bag Qty	Box Qty
10	10	500
15	10	250
22	10	100
28	10	50
	мм 10 15 22	MM         QTY           10         10           15         10           22         10

Suitable for central heating systems.

## **PIPE REPAIR KIT**



	MM	Qty	QT
15RKP	15	1	80
22RKP	22	1	50

Provides a simple way of repair on a rigid pipe run. Remove a damaged section of pipe and replace with a repair kit

## **SLIP TEE CONNECTOR**



Provides a simple way to break into an existing pipe run

## PLASTIC BACK PLATE ELBOW



0 00	No.
1	15PWB
1 an	Hot and cold wat Protect from sun

#### SIZE MM X BSP Bag Qty Box QTY 25 15 x 1/2" 1

ater only, 65°C maximum. nlight and frost.

## WING BACK ELBOW



TIT	Part No.	SIZE MM X BSPT	Bag Qty	Box Qty
919	UGPWB1514	15 x 1/2"	1	150
	Cold water only			

## **BULKHEAD ELBOW**



SIZE MM X BSP Вох Qту Part No. CM551516W 15mm x 3/4" 25

Not suitable for central heating systems. Hot and cold water only, 65°C maximum.

## **2 WAY DIVIDER**



Part	Size	Bag	Box
No.	MM	Qty	Qty
CM2315W	15	5	50

Not suitable for central heating systems.

## **4 WAY MANIFOLD**



SFM512210E	22 x 10	5	30
No.	MM	Qty	Qty
Part	SIZE	BAG	Box



## **4 PORT RAIL MANIFOLD**




Part No.	SIZE MM	Box Qty
SFM522210E	22 x 10	10
SFM522215E	22 x 15	10

## **BRASS RAIL MANIFOLD**



Part No.		SIZE MM	Box Qty
JGRAIL4	4 Zone	22 x 15	1
JGRAIL6	6 Zone	22 x 15	1
JGRAIL12	12 Zone	22 x 15	1



## FOR PIPE SEE PAGE 13

06

# **J** Speedfit <sup>®</sup> Grey

## **GREY PLUMBING FITTINGS**

Additional range of Speedfit Grey Products, with the same features and benefits of white fittings.

Kitemarked to BS 7291 and with WRAS Approval.



## EQUAL STRAIGHT CONNECTOR



Part No.	Size MM	Bag Qty	Box Qty
PEM0410DG	10	10	150
PEM0415DG	15	10	60
PEM0422DG	22	5	30

Suitable for central heating systems

## REDUCER



PART	SIZE	BAG	Box
No.	MM	Qty	Qty
PEM061510DG	15 x 10	10	150
PEM062215DG	22 x 15	10	70
Suitable for central h	eating systems		

## EQUAL TEE



Size MM	Bag Qty	Box QTY
10	10	100
15	5	40
22	5	15
	мм 10 15	мм Qту 10 10 15 5

Suitable for central heating systems.

## **REDUCING TEE**



PART	SIZE	BAG	Box
No.	MM	Qty	QTY
PEM3022BDG	22 x 15 x 15	5	25
PEM3022DDG	22 x 15 x 22	5	15
PEM302210ADG	22 x 22 x 10	5	20
PEM3022ADG	22 x 22 x 15	5	15
Suitable for central h	eating systems.		

Sizes are listed in the following order.

## **REDUCING STRAIGHT COUPLER**

Part No.

No

PEM221010DG

PEM221515DG

PEM0310DG

PEM0315DG

PEM0322DG

	1a	
	1000	
0		
	10-1 III	

**EQUAL ELBOW** 

PART	SIZE	BAG	BOX
No.	MM	QTY	QTY
PEM201510DG	15 x 10	10	80
TEMEOTOTODO	10 × 10	10	
PEM202215DG	22 x 15	5	40

Suitable for central heating systems.

SIZE

10

15

22

MM

Suitable for central heating systems

MM

10 x 10

15 x 15

Suitable for central heating systems.

Bag Qty

10

10

5

BAG

QTY

10

10

Box QTY

150

50

25

Вох Qтy

200

80

## FEMALE COUPLER - TAP CONNECTOR



Part	SIZE	BAG	Box
No.	MM X BSP	Qty	Qty
PSE3201DG	15mm x 1/2"	10	100
PSE3203DG	15mm x 3/4"	5	70
PSE3202DG	22mm x 3/4"	5	50

Requires hand tightening only.

#### Suitable for central heating systems Note: Plastic threads are not as strong as metal threads.

For torque figures see Technical Checklist.

## **STOP END**



Part No.	SIZE MM	Bag Qty	Вох Qту
PSE4610DG	10	10	300
PSE4615DG	15	10	200
PSE4622DG	22	5	80
PSE4628DG	28	5	50

Suitable for central heating systems.

## STRAIGHT TAP CONNECTOR



Part No.	SIZE MM X BSP	Bag Qty	Вох Qту
PEMSTC1514-DG	15mm x 1/2	5	50
PEMSTC1516-DG	15mm x 3/2"	5	50
PEMSTC2216-DG	22mm x 3/4"	5	40
	No. PEMSTC1514-DG PEMSTC1516-DG	No.         MM X BSP           PEMSTC1514-DG         15mm x 1/2           PEMSTC1516-DG         15mm x 3/2"	No.         MM X BSP         QTY           PEMSTC1514-DG         15mm x 1/2         5           PEMSTC1516-DG         15mm x 3/2"         5

Suitable for central heating systems. For torque figures see Technical Checklist.


With brass swivel nut and sealing washer.

## STEM ELBOW



Provides a swivel type connection.

## **BENT TAP CONNECTOR**



## **OTHER PLUMBING FITTINGS**

## **CONVERSION CONNECTOR**



Part No.	SIZE	Bag Qty	Вох Qту
NC471	1/2id x 15mm	5	500
NC2324	3/4id x 22mm	5	30

With brass swivel nut and sealing washer.

## **APPLIANCE TAP** •



Part No.	SIZE MM X BSP	Bag Qty	Box Qty
15 APT-DG	15mm x 3/4"	5	40
	entral heating system ter only, 65°C maximu		

#### **EMERGENCY SHUT OFF TAP \***



Part	SIZE	Bag	Box
No.	MM	Qty	Qty
15 ESOT-DG	15	5	40



## FOR PIPE SEE PAGE 13



FOR DISPLAY STAND SEE PAGE 22

	_		1	۳.,
10				
1		_		

**SLIP CONNECTOR** 

No.	MM	Qty	QTY
CM-SC-15S	15	10	60

## **HOSE CONNECTOR**



NC737	22mm x 1/2"	500
NC473	22mm x 3/4"	400
NC448	15mm x 1/2"	1000
Part No.	Size	Box Qty

Hot and cold water only, 65°C maximu

#### **UNEQUAL STRAIGHT CONNECTOR**



NC2511	15mm x 3/8"	10	150
No.	MM X INCH	QTY	QTY
PART	SIZE	BAG	Box

Not suitable for central heating systems. Hot and cold water only, 65°C maximum.

1/4 Turn Valves. These valves have been designed to allow temporary servicing of downstream equipment and must only be used in the fully open or fully closed position.

Do Not use these Valves:

- In a partially open position to control flow.
- To provide a permanent termination.
- Without tubing assembled or plugged (or threaded connections sealed).
- As a tap or "faucet".

1/4 Turn Valves are indicated by this marker '•'

## **BRASS FITTINGS**

## **BRASS MALE COUPLER**

Part No.	SIZE	Bag Qty	Вох Qту
MW011504N	15mm x 1/2" BSPT	5	100
MW012206N	22mm x 3/4" BSPT	5	50
MW012808N	28mm x 1 BSPT	5	20
10MC (1/2)	10mm x 1/2" BSP	5	100
15MC (1/2)	15mm x 1/2" BSP	5	100
22MC (3/4)	22mm x 3/4" BSP	5	50
MW012818N	28mm x 1 BSP	5	20

Suitable for central heating systems.

Manufactured in DZR Brass.

## **BRASS FEMALE COUPLER**

Part No.	SIZE MM X BSP	Bag Qty	Box Qty
MW451514N	15 x 1/2"	5	50
MW452216N	22 x 3/4"	5	50

Manufactured in DZR Brass

## **BRASS BACK PLATE ELBOW**

	Part No.	Size MM X BSP	Вох Qту
	15WB	15 x 1/2"	20
	22WB	22 x 3/4"	10
P	Manufactured in DZR Suitable for central he SHORT VERSION		
	15WB2	15 x 1/2"	25
	Manufactured in Bras Suitable for central he	•••	

## **BRASS MALE STEM ADAPTOR**

the state of the s	and the second second	Contraction of the local division of the loc
1000		ALL PR
		Terret
Converts	Speedfit	
to male th	read	

MW052818N	28 x 1" BSP	10	20
MW052206N	22 x 3/4"	5	50
MW051504N	15 x 1/2"	5	100
Part No.	SIZE MM X BSPT	Bag Qty	Box Qty

Manufactured in DZR Brass.

## **BRASS FEMALE STEM ADAPTOR**

_		-	0
	-	-	
_	- 11	-	

	Part No.	SIZE MM X BSP	Bag Qty	Box Qty
	MW501514N	15 x 1/2"	5	50
	MW502216N	22 x 3/4"	5	50
Converts Speedfit to female thread	Suitable for central be	ating systems		

Suitable for central heating systems. Manufactured in DZR Brass

## **BRASS FEMALE CYLINDER ADAPTOR**



Part No.	SIZE MM X BSP	Bag Qty	Box Qty		
22CFA	22 x 1"	5	50		
Suitable for central heating systems.					
Manufactured in [	OZR Brass.				

## **BRASS MALE CYLINDER ADAPTOR**



No.	MM X BSP	QTY	QTY
22CMA	22 x 1"	5	50
Suitable for centra	I heating systems.		
Manufactured in D	ZR Brass		

## VALVES

1/4 Turn Valves. These valves have been designed to allow temporary servicing of downstream equipment and must only be used in the fully open or fully closed position.

Do Not use these Valves:

- In a partially open position to control flow.
- To provide a permanent termination.

• Without tubing assembled or plugged (or threaded connections sealed).

• As a tap or "faucet".

#### 1/4 Turn Valves are indicated by this marker '•'

## **STOP VALVE**



Part No.	Size MM	Box Qty
15STV	15	20
22STV	22	10

Hot and Cold water only, 65°C maximum.

## **APPLIANCE TAP** \*



Part No.	SIZE MM X BSP	Bag Qty	Box Qty
15 APT	15 x 3/4"	5	40
Not suitable for o	central heating systems.		
For maximum to please see Tech	rque figures on plastic th nical Checklist.	nread,	

## **APPLIANCE TEE** •



15 APT2	15 x 3/4"	5	30
Part	SIZE	Bag	Box
No.	MM X BSP	Qty	Qty

Hot and Cold water only, 65°C maximum.

## **EMERGENCY SHUT OFF TAP \***



Part	SIZE	Bag	Box
No.		Qty	Qty
15 ESOT	15	5	40

## ANGLE STOP VALVE \*



ASV4	15 x 3/8"	1	25
ASV3	15 x 1/4"	1	30
Part No.	SIZE MM X INCH	Pack Qty	Вох Qту

Hot and Cold water only, 65°C maximum.

Provides an inline connection with shut off and check valve protection for the easy installation of water coolers, filtration equipment and vending machines.

#### **DOUBLE CHECK VALVE**



No.	мм	Qтү	Qτγ
15DCV	15	5	50

Hot and Cold water only, 65°C maximum.

## **PLASTIC SERVICE VALVE \***



5SV	15	5	50
		5	
2SV	22		30

Раск Qту

1

1

BAG

QTY

5

5

Bag Qty

Box QTY

50 50

Вох Qтy

Вох Qту

30

20

8

Hot and Cold water only, 65°C maximum.

## **BRASS CHROME PLATED SERVICE VALVE** WITH TAP CONNECTOR •



Part No.	SIZE MM X BSP	Pack Qty	Вох Qту
15PTSV	15 x 1/2"	2	20
22PTSV	22 x 3/4"	1	8

## **BRASS CHROME PLATED BALL VALVE \***

## **PLASTIC BALL VALVE \***



PLASTIC SERVICE VALVE WITH TAP CONNECTOR \*

PART

15SVSTC-W

No 15SVSTC SIZE MM X BSP

15 x 1/2"

15 x 1/2'

Not suitable for central heating systems. Hot and Cold water only, 65°C maximum. Box Qty 40 20

_	Part No.	SIZE	Pack Qty	Box Qty
-	10BV	10	1	30
	15BV	15	1	20
	22BV	22	1	15
	Suitable for centr	al heating systems.		



Each valve has red and blue indices.

## **BRASS MANIFOLD**



Part No.	DESCRIPTION	SIZE BSP X MM	Pack Qty	Box Qty
JGMAN2	2 Port	3/4" x 15	1	10
JGMAN3	3 Port	3/4" x 15	1	7
JGMAN4	4 Port	3/4" x 15	1	5

Blanking plug supplied with each manifold. Each manifold supplied with reversible red and blue discs. Suitable for central heating systems.

## **BRASS STOP VALVE**



Part	SIZE	Bag	Box
No.	MM X BSP	Qty	Qty
15BSC	15	1	10

# **BRASS DRAIN COCK**



No.	MM	Qty	QTY
15BDC	15	10	50
Suitable for central	heating systems.		
Manufactured in D	ZR Brass.		
	ks cannot be used v with a standard fittin		

BAG

Box

SIZE

### THERMOSTATIC RADIATOR VALVE

PART

#### SIZE MM Раск Qту Box QTY Part No. F. JGTHRAD15 15 1 10

## LOCKSHIELD RADIATOR VALVE



## PLASTIC ANGLE SERVICE VALVE WITH TAP CONNECTOR •



Grev

White

15SVBTC	15 x 1/2"	5	50
15SVBTC-W	15 x 1/2"	5	50
lot suitable for cent	ral heating systems.		


SIZE MM X BSP

## **BRASS SERVICE VALVE \***

And stated in case of the local division of	
and some stands and the	
1.	s
<b>-</b>	5

	No.	MM	QTY	QTY
1	15HSV-BRASS	15	2	20
Ņ	Suitable for central heat	ing systems.		

## **BRASS CHROME PLATED SERVICE VALVE \***



Suitable for central heating systems.

## BRAIDED FLEXI HOSES WRAS

Not suitable for central heating. Hot and cold water only, 6 Bar @ 65°C

## SPEEDFIT X UNION NUT

A 15		Part No.	SIZE MM X BSP	Bag Qty	Box Qty
	150mm		15 x 1/2"	2	150
	300mm	FLX34P	10 x 1/2"	2	150
		FLX35P	15 x 3/8"	2	150
		FLX15P	15 x 1/2"	2	100
		FLX16P	15 x 3/4"	2	100
		FLX22P	22 x 3/4"	2	100
	500mm	FLX18P	15 x 1/2"	2	100
		FLX20P	15 x 3/4"	2	80
		FLX19P	22 x 3/4"	2	50
		FLX23PFull Bore	22 x 3/4"	2	40
	1000mm	FLX40P	15 x 1/2"	1	20
		FLX42	15 x 3/4"	5	25
		FLX41P	22 x 3/4"	1	20

## SPEEDFIT X SPEEDFIT

21		Part No.	SIZE MM X MM	Bag Qty	Box Qty
11	300mm	FLX33P	15 x 10	2	150
State 1		FLX17P	15 x 15	2	100
000		FLX26P	22 x 22	2	60
	500mm	FLX21P	15 x 15	2	100
		FLX27P	22 x 22	2	60
	1000mm	FLX47	15 x 15	5	25

## **SPEEDFIT X MALE**

30	00mm FLX49	15 x 3/8"	25	100	
1	Part No.	SIZE MM X BSP	Bag Qty	Box Qty	

## **ELBOW PATTERN**

500

A	9	Part No.	SIZE MM X BSP	Bag Qty	Box Qty
A DOTTON	300mm	FLX36P	15 x 1/2"	2	100
50					

## **SPEEDFIT X PLAIN STEM**

1	Part	Pipe	Stem	Bag	Box
	No.	MM	MM	Qty	Qty
300mm	FLX53	15	15	25	100

## SPEEDFIT X UNION NUT WITH SERVICE VALVE \*

(AL)	1	Part No.	SIZE MM X BSP	Bag Qty	Box Qty
1		Plastic Valve	s		
Read and	300mm _	FLX37P	15 x 1/2"	2	100
	_	FLX39P	22 x 3/4"	2	50
		Plastic Valve	with Handle		
	300mm	FLX37-H	15 x 1/2"	2	100
		FLX39-H	22 x 3/4"	2	50
1911					

## SPEEDFIT X SPEEDFIT WITH SERVICE VALVE \*

A A		Part No.	SIZE MM X MM	Bag Qty	Box Qty	
the second second	300mm	Brass Valve FLX44P	15 x 15	2	80	
	500mm	FLX45P	15 x 15	2	60	

## FOR MONOBLOC MIXERS

300mm FLX48 12 x M10 2 FLX28 15 x M10 2	400			No.
FLX28 15 x M10 2	100	2	12 x M10	FLX48
	100	2	15 x M10	FLX28
FLX29 15 x M12 2	100	2	15 x M12	FLX29

## BRAIDED FLEXI HOSES with Metal Connections

Not suitable for central heating. Hot and cold water only, 10 Bar @ 85°C, 12.5 Bar @ 20°C

## **SPEEDFIT X UNION NUT**

50	Part No.	SIZE MM X BSP	Bag Qty	Box Qty
300mm	FLX15MP FLX22MP	15 x 1/2" 22 x 3/4"	2	80 80
500mm	FLX18MP	15 x 1/2"	2	60
V-	FLX19MP	22 x 3/4"	2	50

## SPEEDFIT X SPEEDFIT

<i>A</i>		Part No.	Size MM X MM	Bag Qty	Box Qty	
	300mm	FLX17MP	15 x 15	2	80	
	500mm	FLX21MP	15 x 15	2	60	_
100 S						

## SPEEDFIT X UNION NUT WITH SERVICE VALVE \*

A	10	Part No.	SIZE MM X BSP	Bag Qty	Box Qty
1.6	300mm	Brass Valve FLX24P	15 x 1/2"	2	80
0.5		FLX25P	22 x 3/4"	2	30
	500mm	FLX31P	15 x 1/2"	2	50
		FLX38P	15 x 3/4"	2	50
		FLX32P	22 x 3/4"	2	30

**1/4 Turn Valves.** These valves have been designed to allow temporary servicing of downstream equipment and must only be used in the fully open or fully closed position.

## Do Not use these Valves:

ŧ

- In a partially open position to control flow.
- To provide a permanent termination.
- Without tubing assembled or plugged (or threaded connections sealed).As a tap or "faucet".

.

1/4 Turn Valves are indicated by this marker '•'

## WHITE FLEXI HOSES

WRAS

Not suitable for central heating. Hot and cold water only, 6 Bar @ 65°C

## **SPEEDFIT X UNION NUT**

1

3	-	Part No.	SIZE MM X BSP	Bag Qty	Box Qty
	300mm	WFLX15	15 x 1/2"	2	100
		WFLX16	15 x 3/4"	2	100
0 5		WFLX22	22 x 3/4"	2	100
	500mm	WFLX18	15 x 1/2"	2	100
		WFLX20	15 x 3/4"	2	100
		WFLX19	22 x 3/4"	2	50
	1000mm	WFLX40	15 x 1/2"	1	20

## **SPEEDFIT X SPEEDFIT**

	20	Part No.	SIZE MM X MM	Bag Qty	Box Qty
1.1	300mm	WFLX33	15 x 10	2	100
8. 8		WFLX17	15 x 15	2	100
	500mm	WFLX21	15 x 15	2	100

## **SPEEDFIT X PLAIN STEM**



## WHITE FLEXI HOSES With Plastic Wingnut

Hand tightening only, no spanner required Not suitable for central heating. Hot and cold water only, 6 Bar @ 65°C



## **SPEEDFIT X UNION NUT**

	Part No.	SIZE MM X BSP	Bag Qty	Box Qty
300m	m PFLX15	15 x 1/2"	2	100
	PFLX16	15 x 3/4"	2	100
	PFLX22	22 x 3/4"	2	80
500m	m PFLX18	15 x 1/2"	2	100
	PFLX19	22 x 3/4"	2	50

## SPEEDFIT X UNION NUT WITH SERVICE VALVE \*

	Part No.	SIZE MM X BSP	Bag Qty	Box Qty		
A	Plastic Valves	3				
300mm	PFLX37	15 x 1/2"	2	100		
500mm	PFLX78	15 x 1/2"	2	50		
R.	Plastic Valve with Handle					
300mm	PFLX37-H	15 x 1/2"	2	100		

## **ELBOW PATTERN**

	2.64	Part No.	SIZE MM X BSP	Bag Qty	Box Qty
-	300mm	WFLX36	15 x 1/2"	2	100
6 8					


## SPEEDFIT X UNION NUT WITH SERVICE VALVE \*

3"	3	Part No.	SIZE MM X BSP	Bag Qty	Box Qty
	300mm	Plastic Valve v	15 x 1/2"	2	100
	3001111	WFLX39-H	22 x 3/4"	2	50

#### FOR MONOBLOC MIXERS

de,	ø	Part No.	SIZE MM X MALE	Раск Оту	Вох Qту
3	00mm	WFLX28	15 x M10	2	100
		WFLX29	15 x M12	0	100

## **IDENTITY DISCS**





FOR DISPLAY STAND SUPPORT SEE PAGE 22

## WHITE PIPE AND ACCESSORIES

## **SPEEDPEX BARRIER PIPE**



British Gas accepted for water pipe in vented and sealed central heating systems.

Part No.	SIZE MM X M	Раск Qту	Box Qty
10BPEX-25C	10 x 25	1	20
10BPEX-50C	10 x 50	1	10
10BPEX-100C	10 x 100	1	6
15BPEX-25C	15 x 25	1	8
15BPEX-50C	15 x 50	1	5
15BPEX-100C	15 x 100	1	5
15BPEX-120C	15 x 120	1	5
15BPEX-150C	15 x 150	1	4
22BPEX-25C	22 x 25	1	8
22BPEX-50C	22 x 50	1	5

Suitable for central heating systems

Suitable for central heating systems

PART

## **SPEEDPEX BARRIER PIPE**



Straight lengths. 15 & 22mm in packs of 20. 28mm in packs of 10. Minimum order for 6m

lenghts is 10 packs.

	NO.		GIT
	15BPEX-20x2L	15 x 2	20
	15BPEX-20x3L	15 x 3	20
-	15BPEX-20x6L	15 x 6	20
	22BPEX-20x2L	22 x 2	20
	22BPEX-20x3L	22 x 3	20
	22BPEX-20x6L	22 x 6	20
	28BPEX-10x3L	28 x 3	10
*	28BPEX-10x6L	28 x 6	10

SIZE

Раск

## **POLYBUTYLENE BARRIER PIPE**



Part No.	SIZE MM X M	Pack Qty	Box Qty
15BPB-25C	15 x 25	1	8
15BPB-50C	15 x 50	1	5
15BPB-100C	15 x 100	1	5
15BPB-120C	15 x 120	1	5
15BPB-150C	15 x 150	1	4
15BPB-300C	15 x 300	1	
22BPB-25C	22 x 25	1	8
22BPB-50C	22 x 50	1	5
Suitable for central he	eating systems.		

#### **PIPE IN PIPE**

pipe in vented and sealed central heating systems.



Part No.	SIZE MM X M	Раск Qту
15PIP-50C-E	15 x 50	1
22PIP-50C-E	22 x 50	1

#### **PIPE INSERT**

	Part No.	SIZE MM	Bag Qty	SMALL BOX	Large Box
	TSM10N	10	50	1000	20,000
	TSM15N	15	50	500	5000
	TSM22N	22	25	250	2000
Pipe	TSM28N	28	10	150	1000
ng.	Suitable for central	heating systems	5.		

To be used when connecting Speedfit Pipe to a compression fitting.

### SUPERSEAL PIPE INSERT

To be used with Speedfit Pipe

and Speedfit fittings, to give

Part No.	SIZE	Bag Qty	Small Box	LARGE BOX
STS10	10	50	1000	12,500
STS15	15	50	500	5000
STS22	22	25	250	2000
STS28	28	10	150	1000

Suitable for central heating systems.

## enhanced sealing See page 3 for details.

## **GREY PIPE AND ACCESSORIES**

## **PEX BARRIER PIPE**

~ ~ ~	Part No.	SIZE MM X	Раск Qту
	15BPEX-20x2L-DG	15 x 2	20
	15BPEX-20x3L-DG	15 x 3	20
and the second s	22BPEX-20x2L-DG	22 x 2	20
Straight lengths: The pipe	22BPEX-20x3L-DG	22 x 3	20
has an inner barrier to stop	Suitable for central heati	ng systems.	

the ingress of atmosphere.

## **POLYBUTYLENE BARRIER PIPE**



SIZE MM X M Раск Qту Part No. 10BPB-50C-DG 10 x 50 1 15BPB-25C-DG 15 x 25 1 15BPB-50C-DG 15 x 50 1 22BPB-25C-DG 22 x 25 1

Suitable for central heating systems.

Coils: The pipe has an inner barrier to stop the ingress of atmosphere.


#### **PIPE INSERT**

Part No.	SIZE	BAG QTY	Вох Qту
TSM10DG	10	50	1000
TSM15DG	15	50	500
TSM22DG	22	5	250

Suitable for central heating systems

## **RED AND BLUE PIPE** AND PIPE ACCESSORIES

## **RED & BLUE SPEEDPEX BARRIER PIPE**



	PART NO.	SIZE MM X M	Раск Оту	
Red	15BPEX20X6L-R	15 x 6	20	
	22BPEX20X6L-R	22 x 6	20	
Blue	15BPEX20X6L-B	15 x 6	20	
	22BPEX20X6L-B	22 x 6	20	

the ingress of air. Minimum order quantities: 15mm size, 20 packs of 20 lengths 22mm size, 10 packs of 20 lengths


## **CONDUIT PIPE**



	Part No.	SIZE MM X M	PACK QTY	
Black	15BLK CON - 25C	15 x 25	1	
	15BLK CON - 50C	15 x 50	1	
	22BLK CON - 25C	22 x 25	1	_
	22BLK CON - 50C	22 x 50	1	
				_
Red	15RED CON - 50C	15 x 50	1	_
	22RED CON - 50C	22 x 50	1	
				_
Blue	15BLU CON - 50C	15 x 50	1	_

22BLU CON - 50C 22 x 50 1

## **CONDUIT ELBOW**



## **COLLET COVER**



Part No.	SIZE	Bag Qty	Small Box	LARGE BOX
PKM1910W	10	100	500	
PKM1910R	10	100	500	
PKM1910B	10	100	500	
AM1915W	15	100	400	4000
PM1915R	15	100	400	
PM1915B	15	100	400	
AM1922W	22	50	200	2000
PM1922R	22	50	200	
PM1922B	22	50	200	



Suitable for central heating systems. Available in white, red or blue.

## **COLLET LOCKING CLIP**



Part No.	Size MM	Bag Qty	Box Qty
CM1810S Grey	10	100	2000
CM1815S Grey	15	100	1000
CM1822S Grey	22	100	1000
CM1810W White	10	100	2000
CM1815W White	15	100	1000
CM1822W White	22	100	1000
CM1810R Red	10	100	2000
CM1815R Red	15	100	1000
CM1822R Red	22	100	1000



White and grey collet clips prevent accidental release

Part

of pipe from standard fittings.

Red and blue clips provide colour coding of pipe, they should not be used to prevent accidental release of pipe.

SIZE





NO.	MM	QIY	QI
10RA	10	10	500
15RA	15	10	500
22RA	22	10	400
28RA	28	10	300

BAG

Box

## **COLD FORMING BEND**

n

Part No.	Size MM	Раск Qту	Bo: QT
10CFB	10	10	20
15CFB	15	10	30
22CFB	22	10	10

To help create a tighter bend than the minimum unsupported pipe.

## **BENDING SPRINGS**

10mm

15mm and 22mm



PCSW

## PIPE CLIPS AND SPACERS



	Part No.	Size	Раск Qту	Box Qty
White	PC15W	15	50	200
	PC22W	22	50	100
	PC28W	28	20	80

50

400





Red	PC15R	15	50	200
	PC22R	22	50	100
	PC28R	28	20	80
Blue	PC15B	15	50	200
	PC22B	22	50	100
	PC28B	28	20	80

## **RADIATOR OUTLET PLATE**

Part	Bag	Box
No.	Qty	Qty
JG-ROP	1	25

Creates a neat outlet for 10mm supply pipes to a radiator. To be used with single gang 25mm steel KO boxes to BS 4662, fitted with rubber grommet.

.

## NAIL CLIP

Part No.	SIZE	Раск Оту	Box QTY
NPC10	10	50	1000
NPC15	15	50	400
NPC22	22	50	250
IPC28	28	20	200

## COLLETS

	Part No.	SIZE	Раск Qту
For PKM Fittings	PXC10	10	20
	PXC15	15	20
	SPF22	22	20
	PXC28	28	20
For PEM Fittings	PXC10	10	20
	PXC15	15	20
	PXC22	22	20
	PXC28	28	20

## EPDM 'O' RING

No.	MM	QTY
10 EPR	10	20
15 EPR	15	20
22 EPR	22	20
28 EPR	28	20

## **THREAD WASHER**

Ο	
For use with Fe Tap Connector.	male Coupler/

Part No.	SIZE	Pack Qty
1/2 EPW	1/2	20
3/4 EPW	3/4	20

Part No. PSE3210W PSE3201W PSE3202W PSE3203W

## **FOIL TAPE**



Part	SIZE	Pack
No.	MM X M	Qty
JGTAPE	50 x 45	8

Metallic tape to meet NHBC requirements for plastic pipe to be detected inside walls.

## **PIPE CUTTER**

For up to 22mm size pipe.

BLADE-JGTS	2	
JG-TS	1	30
Part No.	Pack Qty	Pack Qty

## HEAVY DUTY PIPE CUTTER



BLADEJGHDC	4	
IGHDC	1	20
No.	Qty	Qty
Part	PACK	Box

For up to 28mm size pipe

1	4

# JG Speedfit<sup>®</sup> Blue

## FITTINGS FOR COLD WATER SERVICES

ABOVE AND BELOW GROUND




This new range of fittings for MDPE Pipe has an improved Collet with stainless steel teeth to provide extra grip on the pipe and has WRAS Approval. The procedure for connecting and disconnecting the fittings is similar to that for Speedfit Plumbing Fittings, as shown on page 3. However, pipe inserts must be used in every connection.

## EQUAL STRAIGHT CONNECTOR



Cold water only

## **REDUCING STRAIGHT CONNECTOR**



Cold water only

## **PE-COPPER COUPLER**

-	State of Concession, Name
	A REAL PROPERTY AND IN COLUMN

Used to connect PE Pipe to copper or Speedfit Plumbing Pipe Must not be buried directly into ground, soil, concrete or other substrates.

Part No.	Size MM	Bag Qty	Box Qty
JG601B	20 x 15	1	150
JG603B	25 x 15	1	100
JG602B	25 x 22	1	80
JG604B	32 x 28	1	60

Cold water only

## MALE ADAPTOR



Part No.	Size MM	Qty Bag	Box Qty
UG101B	20 x 1/2" BSP	1	150
UG102B	25 x 3/4" BSP	1	100
UG103B	32 x 1" BSPT	1	60
UG104B	32 x 1.1/2" BSPT	1	80

Cold water only


## **FEMALE ADAPTOR**



Part No.	SIZE MM X BSP	Bag Qty	Box Qty
UG4501B	20 x 1/2"	1	100
UG4502B	25 x 3/4"	1	100

Cold water only

## EQUAL ELBOW



## WALL PLATE ELBOW



Part No.	SIZE MM X BSP	Bag Qty	Box Qty
UGPWB2014	20 x 1/2"	1	100
UGPWB2514	25 x 1/2"	1	70
UGPWB2516	25 x 3/4"	1	70

Cold water only

## WING BACK ELBOW



Part	SIZE	Bag	Box
No.	MM X BSPT	Qty	Qty
UGPWB1514	15 x 1/2"	1	150

Cold water only

## **STEM ELBOW**



Part No.	PIPE OD MM	STEM OD MM	Bag Qty	Box Qty
UG222025B	20	25	1	100
UG222525B	25	25	1	80
UG223232B	32	32	1	50

Stem cannot be disconnected from mating connector with Cold water only

## EQUAL TEE

collet cover fitted



Part No.	Size MM	Bag Qty	Box Qty
UG201B	20	1	50
UG202B	25	1	40
UG203B	32	1	15

Cold water only

## **REDUCING TEE**



Part No.	Size	Size	Bag	Box
	Ends	Branch	Qty	Qty
UG232AB	32	25	1	15

## **STOP END**



Part No.	SIZE MM	Bag Qty	Box Qty
UG4620B	20	1	150
UG4625B	25	1	100

## **STOP TAP - MDPE x MDPE**



Part No.	SIZE MM	Bag Qty	Box Qty
UGSTV2020	20	1	40
UGSTV2525	25	1	30
UGSTV3232	32	1	15

Cold water only

### **STOP TAP - MDPE x COPPER OR PEX**



Part No.	Size MM	Bag Qty	Box Qty
UGSTV2515	25 x 15	1	40
UGSTV2522	25 x 22	1	40

The two Stoptaps for 15 or The two Stoptaps for 15 or 22mm copper or PEX Pipe must not be buried directly into ground, soil, concrete or other substrates.

## **PLUGS**



PART NO.	Size MM	Bag Box	Box Qty
UG801E	20	1	50
UG802E	25	1	40
UG803E	32	1	30

Cold water only

## **PIPE INSERT**



Part No.	SIZE MM	Bag Qty	Box Qty
UTS147 - DB	20	10	200
UTS197 - DB	25	10	150
UTS251 - DB	32	2	300

## **IMPERIAL CONVERTER**



Part No.	Stem MM	IMPERIAL PIPE SIZE	Bag Qty	Box Qty
UGICO1	20	1/2"	1	100
UGICO2	25	3/4"	1	80

Supplied with inch size Pipe Insert

To convert metric size fitting for use with imperial size LDPE to BS1972 Class C or Class D. Stem cannot be disconnected from mating connector with collet cover fitted.



## FOR DISPLAY STAND **SUPPORT SEE PAGE 23**



Other sales support material includes a Counter Mat and an attractive brochure



## ENERGY SAVER PLUS

The Economic Way to Heat Your Home

Unlike a conventional system, where radiators are connected to a common flow and return, this manifold system enables each radiator to have its own hot water supply. For ease of plumbing, the hot water can also be coupled to the manifold. Energy saving electrical controls are used to set time and temperature for each room.

## Note: Energy Saver Plus can also be controlled using Network Control Products shown opposite.

For further information see our Underfloor Heating Brochure.



## MANIFOLD - STAINLESS STEEL

1.1	Part No.	DESCRIPTION	Раск Qту
-	JGUFHMAN4/2	4 Zone	1
1.4	JGUFHMAN6/2	6 Zone	1
	JGUFHMAN8/2	8 Zone	1
. 1	JGUFHMAN10/2	10 Zone	1
	JGUFHMAN12/2	12 Zone	1

The manifolds are complete with adjustable flow gauge, drain valve and air bleed valve. They are pre-assembled on wall brackets and supplied with screws and plugs. Also supplied with 'STS' Pipe Inserts and Collet Clips.

## **ACTUATOR VALVE**




JGUFHA(240 v)/2	240 v Circuit Actuator Valve	1
Part No.	DESCRIPTION	Раск Qту

## **TOUCHSCREEN TIME CLOCK - 4 CHANNEL**



## WIRING CENTRE - 8 ZONE

Part No.	DESCRIPTION	Раск Qту
JGUH3	Wiring Centre 8 Zone	1



## **PROGRAMMABLE ROOM THERMOSTATS**

	Part No.	DESCRIPTION	Раск Qту
29.	JGPRTE	Programmable Room Thermostat	1
data Exili	JGPRTHW	Programmable Room Thermostat Plus Hot Water Control	1

## DIAL SET BACK ROOM THERMOSTAT

	Part No.	DESCRIPTION	Раск Qту
7-14	JGDSSB	Dial Setback Room Thermostat	1
- Jas		Room Thermostat	

### SPEEDPEX BARRIER PIPE

	Part No.	SIZE MM X M	Pack Qty	Box Qty	
	INU.		QIY	QIY	
	10BPEX-50C	10 X 50	1	10	
-	10BPEX-100C	10 X 100	1	6	
	15BPEX-50C	15 X 50	1	5	
	15BPEX-100C	15 X 100	1	5	
	15BPEX-120C	15 X 120	1	5	
	15BPEX-150C	15 X 150	1	4	

## POLYBUTYLENE BARRIER PIPE



	Part No.	Size MM × M	Pack Qty	Box Qty	
2	15BPB-50C	15 X 50	1	5	
	15BPB-100C	15 X 100	1	5	
	15BPB-120C	15 X 120	1	5	
	15BPB-150C	15 X 150	1	4	
	15BPB-300C	15 X 300	1		

## LOW VOLTAGE UNDERFLOOR HEATING **NETWORK CONTROL SYSTEM**

The New Underfloor Heating Network Control System has electrical components 'networked' together using computer network cable. The basic system of Programmable Room Thermostats and Wiring Centre can be enhanced by a number of upgrade options.

- Range of de lux Touch Screen Programmable • Room Thermostats.
- · Central control of the whole system from a Touchpad controller.
- Software options to give direct control from a PC, • via the internet or from a mobile phone.

For further information see our Underfloor Heating Brochure

## **TOUCHPAD NETWORK CONTROLLER**



JGTOUCHPAD/TFT	Touchpad Controller	1	
Part No.	DESCRIPTION	Раск Qту	

## **TOUCHSCREEN PROGRAMMABLE ROOM THERMOSTATS**

	Part No.	DESCRIPTION	Раск Qту
	JGSTAT/TS/V3	Touchscreen Programmable	1
35	JGSTATPLUS/TS/V3	Room Thermostat Touchscreen Programmable	1
	Room Thermostat Plus Hot Water Control		





Part No.	DESCRIPTION	Раск Qту
JGSTAT2/TS/V3	Touchscreen Twin Channel Programmable Room Thermosta	1 at
Allows one thermostat t	o control two zones	

## **PROGRAMMABLE ROOM THERMOSTATS**

Part No.	DESCRIPTION	Раск Qту
JGSTAT/V3	Programmable Room Thermostat	1
JGSTATPLUS/V3 Room T	Programmable hermostat Plus Hot Water C	1 Control

## **NET MONITOR**

-	Part No.	DESCRIPTION	Pack Qty
	JGNETMON1	Net Monitor	1
	JGNETMON2	Net Monitor With GSM	1

## **TEMPERATURE SENSOR PROBE**



JC Speedfit

	Qty
Electrical Probe	1
or Box For Above	1

## **NETWORK SOFTWARE**



## WIRING CENTRE



Part No.	DESCRIPTION	Раск Qту	
JGUH1	8 Zone Wiring Centre	1	

## **NETWORK ADAPTORS**



1

1

1

## MAINS VOLTAGE CONTROLS **NEW RANGE**

- · Easy to use
- Easy to install
- Attractive slimline components

Easy to use and install the new mains voltage components offer simple effective control of up to 8 zones.

The JGUH3 Wiring Centre is the hub of the system. It works either in conjunction with the Touch Screen Time Clock and simple to use Dial Set Back Thermostat, or, alternatively with the Programmable Room Thermostats. There is also the ability to use both types of thermostats in the same system.

## **TOUCHSCREEN TIME CLOCK - 4 CHANNEL**



## **WIRING CENTRE - 8 ZONE**

	Part No.	DESCRIPTION	Раск Qту
	JGUH3	Wiring Centre	1
No. of Concession, Name		8 Zone	


## **PROGRAMMABLE ROOM THERMOSTATS**

	Part No.	DESCRIPTION	Раск Qту
88	JGPRTE	Programmable Room Thermostat	1
- CHE - L	JGPRTHW	Programmable Room Thermostat Plus Hot Water Control	1

## DIAL SET BACK ROOM THERMOSTAT



## **ACTUATOR VALVE**



## UNDERFLOOR HEATING FOR **CONSERVATORIES AND EXTENSIONS**

The Speedfit Underfloor Heating Control Unit is the ideal way to provide heating to a conservatory or room extension up to 30sqm.

The unit is pre-assembled and pre-wired to allow for a fast and simple installation. It can be plugged into any convenient electrical socket or spur.

## **CONTROL UNIT**

Ħ



## SINGLE ROOM UNDERFLOOR HEATING PACK

	Part No.	DESCRIPTION	Раск Qту
20.0	JGUFHPACK20	Underfloor Heating Pack	1
	For conservatories extensions up to 20 Pack contains:		

Pack Qty

1



DESCRIPTION PACK QTY JGUFHA(240 v)/2 240 v Circuit Actuator Valve 1



## **NEW RANGE**

- · Easy to use
- Easy to install •
- Wireless Range up to 100m •

The new Wireless Control System permits flexible location of thermostats in domestic heating installations.

The programmable thermostats work in conjunction with the Wireless 8 Zone Wiring Centre, which is mains powered and is ideally suited to warm water underfloor heating as well as radiator installations. To extend the Wireless range, wireless repeaters are available to 'boost' the signal.

## WIRELESS MULTI MODE THERMOSTAT

PART No.	DESCRIPTION	Раск Qту
JGWPRT	Wireless Multi Mode	1
0.21	Thermostat	
JGWPRTHW	Wireless Multi Mode	1
	Thermostat Plus Hot Water Control	

## **WIRELESS RECEIVER - 2 ZONE**

	Part No.	DESCRIPTION	Раск Qту
1111	JGWRC	Wireless Receiver 2 Zone	1
3.5			

## MANIFOLDS AND FIXING SYSTEMS

## **MANIFOLD - STAINLESS STEEL**



Part No.
JGUFHMAN4/2
JGUFHMAN6/2
JGUFHMAN8/2
JGUFHMAN10/2
JGUFHMAN12/2

No.		Qty
JGUFHMAN4/2	4 Zone	1
JGUFHMAN6/2	6 Zone	1
JGUFHMAN8/2	8 Zone	1
JGUFHMAN10/2	10 Zone	1
JGUFHMAN12/2	12 Zone	1

DESCRIPTION

Раск

The manifolds are complete with adjustable flow gauge, drain valve and air bleed valve. They are pre-assembled on wall brackets and supplied with screws and plugs. Also supplied with 'STS' Pipe Inserts and Collet Clips.

## **MANIFOLD - BRASS**



G

ELLER.	Part No.	DESCRIPTION	Раск Qту
my	JGUFHMAN4	4 Zone	1
	JGUFHMAN6	6 Zone	1
	JGUFHMAN8	8 Zone	1
1111	JGUFHMAN10	10 Zone	1
	JGUFHMAN12	12 Zone	1

The manifolds are complete with adjustable flow gauge, drain valve and air bleed valve. They are pre-assembled on wall brackets and supplied with screws and plugs. Also supplied with 'STS' Pipe Inserts and Collet Clips.

## **CONTROL PACK - NICKEL PLATED**

Part No.	DESCRIPTION	Раск Qту
JGCONTROL/2	CONTROL PACK	1

#### **MANIFOLD EXTENSION KIT - STAINLESS STEEL** F

## DESCRIPTION PACH QTY JGUFHMANEXT/2 Manifold Extension Kit 1

## WIRELESS REPEATER



Part No.	DESCRIPTION	Раск Дту
JGBOOSTER	Wireless Repeater	1

## **WIRELESS WIRING CENTRE - 8 ZONE**

(40 stok) _11.10	Part No.	DESCRIPTION	Раск Qту
	JGWWC	Wireless Wiring Centre	1
		8 Zone	

## **EXTERNAL AERIAL**

	Part No.	DESCRIPTION	Раск Qту
10	JGAERIAL	External Aerial	1
	For Use	With 8 Zone Wireless Wiring Cen	tre JGWWC


## **MANIFOLD ELBOW CONNECTOR - NICKEL PLATED**

JGUFHMANELB/2	Manifold Elbow Connector	1	
 Part No.	DESCRIPTION	Раск Qту	

## **MANIFOLD EXTENSION KIT - BRASS**

Раск Qту	DESCRIPTION	Part No.
1	MANEXT Manifold Extension Kit	JGUFHMANEXT
-		JOOPHMANEXT

## **MANIFOLD ELBOW CONNECTOR - BRASS**



## **SPEEDPEX BARRIER PIPE**

Part No.	Size MM x M	Раск Qту	Box Qty	
15BPEX-50C	15 X 50	1	5	
15BPEX-100C	15 X 100	1	5	
15BPEX-120C	15 X 120	1	5	
15BPEX-150C	15 X 150	1	4	

## POLYBUTYLENE BARRIER PIPE

	PART	SIZE	Раск	Box	
	No.	MM x M	Qty	Qty	
	15BPB-50C	15 X 50	1	5	
NORE	15BPB-100C	15 X 100	1	5	
	15BPB-120C	15 X 120	1	5	
	15BPB-150C	15 X 150	1	4	
	15BPB-300C	15 X 300	1		

## **SPREADER PLATES**

	Part No.	Size MM x MM	Раск Qту	
1 Aug	JGUFHSP400	390 x 1000	10	
	JGUFHSP250	390 x 250	10	
183	JGUFHSP165	FOR I BEAM JOISTS	20	
		165 x 1000		

Available in Pack Multiples only.

## **PIPE STAPLES**

$\mathbf{f}$	Part No.	DESCRIPTION	SIZE	Раск Qту	
	JGUFHSTAPLE	Pipe Staples	60mm	300	
11	JGUFHSTAPLE40	Pipe Staples	40mm	300	

### STAPLE GUN

	Part No.	DESCRIPTION	Раск Qту
"C	JGUFHGUN	Staple Gun	1

#### **MOUNTING RAIL**

UN STATE	Part No.	DESCRIPTION	Раск Дту	
	JGUFHRAIL	2 Metre Long	16	
	JGUFHPIN	Rail Pins For Above	100	
	Available in Pack Multip	les only.		

#### **FLOOR CLIPS**



## **FIXING TOOL**

	Part No.	DESCRIPTION	Pack Qty	
2	JGUFHTOOL	For Easy Fixing Of Floor Clips	1	

## **CONDUIT ELBOW**

No.	Conduit Elbow	QTY 50

### **EDGE STRIP**

JGUFHEDGE	25 Metre Roll	1	
Part No.	DESCRIPTION	Раск Qту	

## 

	PART	DESCRIPTION	Pack
150	No.	MM X MM	QTY
della	JGUFHBOARD1	Overlay Board	10
1123	-	1250 x 600	
	Used to install underfloor hea	DESCRIPTION	ture. Pack
N	No.	MM X MM	QTY
100	JGUFHBOARD2	Overlay Board	10
100		1200 x 350	
-	Used to install underfloor hea	ating pipe between existing joists.	

## **FLOOR PANELS**



Part No.	DESCRIPTION MM X MM	Раск Оту
JGUFHTILE	Floor Tile	12
	1400 x 800	

Supplied in packs of 12, Speedfit Floor Tiles have an 11mm layer of insulation for support and additional thermal insulation.

## **UNDERFLOOR HEATING SPARE PARTS**

Part No.	DESCRIPTION	Раск Дту
SPUFH1-H	Mixing Valve Unit	1
SPUFH2	Pump Pack Flow Temp Gauge	1
SPUFH3	Over Heat Stat	1
SPUFH4	Manifold Flowmeter	1
SPUFH5	Manifold Balancing Valve	1
SPUFH6	Dust Cap For Balancing Valve	1

## **MERCHANDISING**

## WHITE FITTING DISPLAY STAND





No.	SIZE	QTY
JG-STAND/C	6' x 3'	1
Each stand will inc	ude :-	

25 Product Range Guides Plus the following fittings Stand

×		
PRODUCT	SIZE MM	QT
Straight	15	120
Straight	22	60
Elbow	15	100
Elbow	22	50
Tee	15	80
Тее	22	30
Stop End	15	80
Stop End	22	30
Female Connector	15 x 1/2	60
Female Connector	22 x 3/4	25
Tap Connector	15 x 1/2	30
Tap Connector	22 x 3/4	25
Service Valve	15	30
Reducer	22 x 15	30
Reducing Tee	22 x 22 x 15	15
Washing Machine Tap	15 x 3/4	20
Pipe Insert	15	500
Pipe Insert	22	250

## WHITE FLEXI HOSE DISPLAY STAND




		Part No.		SIZE	Qty	
		JG-STAND/WFLE	XI	6' x 3'	1	
100		The stand will include	e:			
TUT		SIZE				Qty
	300mm	15mm x 1/2"				26
7		15mm x 3/4"				26
		22mm x 3/4"				26
		15mm x 1/2"	Service Va	live with hand	dle	26
		22mm x 3/4"	Service Va	live with hand	dle	10
		15mm x 1/2"	Elbow Pat	tern		26
		15mm x 15mm				26
		15mm x M10	Pack			6
		15mm x M12	Pack			6
	500mm	15mm x 1/2"				20
		22mm x 3/4"				10
		15mm x 3/4"				20

## **BRAIDED FLEXI HOSE DISPLAY STAND**



## **GREY FITTING DISPLAY STAND**





No. JG-STAND/DG	6' x 3'	1
Each stand will include :- 25 Product Range Guides Plus the following fittings		
Pli	us the following	fittings
PRODUCT	SIZE MM	fittings QTY
	Ū	Ū
PRODUCT	Size mm	QTY
PRODUCT Straight	Size MM 15	Qтү 60

Elbow	15	50
Elbow	22	25
Тее	15	40
Тее	22	15
Tap Connector	15 x 1/2	50
Tap Connector	22 x 3/4	40
Bent Connector	15 x 1/2	50
Reducer	22 x 3/4	70
Pipe Insert	15	500
Pipe Insert	22	250



		Part No.		SIZE	Qty
		JG-STAND/FLEXI		6' x 3'	1
		The stand will include:			
		Size			Qty
	300mm	15mm x 1/2"			26
NG.		15mm x 3/4"			26
		22mm x 3/4"			26
27		15mm x 15mm			26
		15mm x 1/2"	With Service Valve		20
1		15mm x M10	Packs		6
		15mm x M12	Packs		6
and a	500mm	15mm x 1/2"			20
		15mm x 3/4"			20
534		22mm x 3/4"			10
		15mm x 15mm			20
		22mm x 22mm			10
		15mm x 1/2"	With Service Valve		10

## MERCHANDISING

## PRE PACKED FITTING DISPLAY STAND



PART



No.		
JG-Stand/P 6' x 2		1
The Stand will include:		
PRODUCT	SIZE	Qty
Straight Connector	15	10
Straight Connector	22	10
Elbow	15	10
Elbow	22	10
Тее	15	10
Тее	22	10
Female Coupler/Tap Connector	15 x 1/2"	20
Female Coupler/Tap Connector	22 x 3/4"	20
Stop End	15	20
Stop End	22	20
Reducer	22 x 15	10
White Flexi Hose	15 x 1/2"	20
White Flexi Hose	22 x 3/4"	20
Washing machine Tap	15 x 3/4"	10
Service Valve	15	10

15 50

22 50

1 -

SIZE

Qty

Pipe Cutter Pipe not included.

Pipe Insert

Pipe Insert

## **BLUE SPEEDFIT FITTINGS FOR MDPE STAND**





Part	Size	Pack
No.	MM	Qty
JG-Stand/UG2	6' x 2'	1

Each stand will include :-Header Board Product Guides

PRODUCT	SIZE	Qty
Equal Straight Connector	20	6
Equal Straight Connector	25	6
Reducing Straight Connecto	r 25 x 20	6
PE-Copper Coupler	20 x 15	6
PE-Copper Coupler	25 x 15	6
PE-Copper Coupler	25 x 22	6
PE-Copper Coupler	32 x 28	6
Equal Elbow	20	6
Equal Elbow	25	6
Equal Tee	20	6
Equal Tee	25	6
Stop End	20	6
Stop End	25	6
Wall Plate Elbow	20 x 1/2" BSP	6
Wall Plate Elbow	25 x 1/2" BSP	6
Stop Tap	25 x 15	4
Stop Tap	25 x 22	4
Stop Tap	25 x 25	4
Pipe Insert	20	60
Pipe Insert	25	60
Imperial Converter	20 x 1/2"	6
Imperial Converter	25 x 3/4"	6

## **PRE PACKED PRODUCTS**

Products packed in a bag with instructions

## **EQUAL TEE**



Part No.	SIZE MM	Bag Qty	Box Qty
PEM0210WP	10	1	300
PEM0215WP	15	1	200
PEM0222WP	22	1	100
PEM0228WP	28	1	50

Suitable for central heating systems.

## **REDUCING TEE**



Sizes listed as follows.

1

- 2

Part No.	Size MM	Bag Qty	Box Qty
PEM3015BWP	15x10x10	1	250
PEM3015AWP	15x15x10	1	200
PEM3022CWP	15x15x22	1	100
PEM3022BWP	22x15x15	1	100
PEM3022DWP	22x15x22	1	100
PEM302210AWP	22x22x10	1	150
PEM3022AWP	22x22x15	1	100
PEM3028BWP	28x22x22	1	75
PEM302815AWP	28x28x15	1	50
PEM3028AWP	28x28x22	1	50
PEM3028DWP	28x22x28	1	50

Suitable for central heating systems.

## **EQUAL STRAIGHT CONNECTOR**



Part No.	Size MM	Bag Qty	Box Qty
PEM0410WP	10	1	40
PEM0415WP	15	1	250
PEM0422WP	22	1	150
PEM0428WP	28	1	75

FOR MERCHANDISING SUPPORT

SEE PAGE 23

Suitable for central heating systems.

## **REDUCING STRAIGHT COUPLER**

1P	
1669	-
	-
	, ,

Part	SIZE	BAG	E
No.	MM	QTY	C
PEM201510WP	15 x 10	1	2
PEM202215WP	22 x 15	1	2

## **EQUAL ELBOW**



-		-	_
PART	SIZE	BAG	Box
No.	MM	Qty	Qty
PEM0310WP	10	1	400
PEM0315WP	15	1	250
PEM0322WP	22	1	150
PEM0328WP	28	1	75

## **REDUCING ELBOW**



Part No.	SIZE MM	Bag Qty	Box Qty
PEM212215WP	22 x 15	1	
Suitable for central hea	ting systems.		

## **STEM ELBOW**



Part No.	PIPE	Stem	Bag Qty	Box Qty
PEM221010WP	10	10	1	400
PEM221015WP	10	15	1	
PEM221515WP	15	15	1	250
PEM222222WP	22	22	1	200

Provides a swivel type connection.

Suitable for central heating systems.

Please note a Collet Cover cannot be used on a Speedfit end assembled with the stem of a 22mm Stem Elbow.

## **STOP END**



Part No.	SIZE	Bag Qty	Box Qty
PSE4610WP	10	1	500
PSE4615WP	15	2	600
PSE4622WP	22	2	400
PSE4628WP	28	1	
Suitable for central hea	ıtina svstems.		

- 2



1

## **STEM TEE**

No.	MM	Qty	QTY
PEM532210WP	22x22x10	1	150
PEM532215WP	22x22x15	1	150

## **FEMALE COUPLER - TAP CONNECTOR**



tightening only

Part No.	SIZE MM X BSP	Bag Qty	Box Qty
PSE3210WP	10 x 1/2"	2	600
PSE3201WP	15 x 1/2"	2	400
PSE3203WP	15 x 3/4"	2	400
PSE3202WP	22 x 3/4"	2	200

Suitable for central heating systems. Note: Plastic threads are not as strong as metal threads. For torque figures see Technical Checklist.

## STRAIGHT TAP CONNECTOR



Part No.	SIZE MM X BSP	Bag Qty	Вох Qту
PEMSTC1014P	10 x 1/2"	1	300
PEMSTC1514P	15 x 1/2"	1	200
PEMSTC1516P	15 x 3/4"	1	200
PEMSTC2216P	22 x 3/4"	1	200

Suitable for central heating systems. With brass swivel nut and sealing washer. For torque figures see Technical Checklist.



## PRE PACKED PRODUCTS CONTINUED

Products packed in a bag with instructions

## **TANK CONNECTOR**



Suitable for cold water tanks only.

Part No. CM0715SP

CM0722SP

SIZE

15

22

BAG QTY

1

1

Box QTY


200

100

Requires hand tightening only.

Maximum wall thickness of tank = 4mm

## **4 WAY MANIFOLD**



## **4 PORT RAIL MANIFOLD**

## **BENT TAP CONNECTOR**



**PIPE REPAIR KIT** 

No.	MM X BSP	Qty	Qty
PEMBTC1014P	10 x 1/2"	1	300
PEMBTC1514P	15 x 1/2"	1	200

FOR MERCHANDISING SUPPORT

For torque figures see Technical Checklist.

PART NO.

15RKP

22RKP

Provides a simple way of repair on a rigid pipe run. Remove a damaged section of pipe and replace with a repair kit

**SEE PAGE 23** 

PART No.	SIZE	DAG QTY	QTY QTY
SFM522210EP	22 x 10	1	50
SFM522215EP	22 x 15	1	40

Suitable for central heating systems.

## **BRASS MALE COUPLER**



Part No.	SIZE MM X BSP	Bag Qty	Box Qty
15MC (1/2) P	15mm x 1/2"	1	50
22MC (3/4) P	22mm x 3/4"	1	50
Suitable for central h	leating systems.		



QTY	Qтү <b>25</b>
	4

Suitable for central heating systems Manufactured in DZR Brass.

## **BRASS MALE CYLINDER ADAPTOR**

	Part No.	Size MM X BSP	Bag Qty	Box Qty	
115	22CMAP	22 x 1"	1	40	
-	Suitable for centra	heating systems.			
	Manufactured in D	ZR Brass.			

**SLIP TEE CONNECTOR** 

	PART NO.	SIZE MM	Bag Qty	Box Qty
-	15TKP	15	1	80
	22TKP	22	1	40
	Suitable for centra	I heating systems.		

SIZE MM

15

22

Suitable for central heating systems

Bag Qty

1

1

Box Qty

80

50

Provides a simple way to break into an existing pipe run

## REDUCER



Part	SIZE	BAG	Box
No.	MM	Qty	Qty
PEM061510WP	15 x 10	4	400
FEINIOUTSTOWF	15 X 10	1	400
PEM062215WP	22 x 15	1	250
PEM062815WP	28 x 15	1	200
DELIGOROODUUD			
PEM062822WP	28 x 22	1	150

**BRASS FEMALE CYLINDER ADAPTOR** 



Part No.	SIZE MM X BSP	Bag Qty	Вох Qту
22CFAP	22 x 1"	1	30
Suitable for centra	I heating systems.		
Manufactured in D	ZR Brass.		

Suitable for central heating systems.

## PRE PACKED VALVES

## **PLASTIC SERVICE VALVE \***

PLASTIC ANGLE SERVICE VALVE

PART

Grey 15SVBTCP

White 15SVBTC-WP

No

WITH TAP CONNECTOR '



Hot and Cold water only, 65°C maximum.

## PLASTIC SERVICE VALVE WITH TAP CONNECTOR \*

1	100		Part No.	SIZE MM X BSP	Bag Qty	Box Qty
	2	Grey	15SVSTCP	15 x 1/2"	1	200
		White	15SVSTC-W	P 15 x 1/2	1	200
		0	Not suitable for o	entral heating syste	me	

SIZE MM X BSP

15 x 1/2"

15 x 1/2"

Not suitable for central heating systems.

Hot and Cold water only, 65°C maximum.

Bag Qty

1

1

Box Qty

200

200

Box QTY

10

## **APPLIANCE TEE** \*



PART NO.	SIZE MM X BSP	Bag Qty	Box Qty
15 APT2P	15 x 3/4"	1	150
Not suitable for central heating systems. Hot and Cold water only, 65°C maximum.			
For maximum torque figures on plastic thread, please see Technical Checklist.			

## **EMERGENCY SHUT OFF TAP** •

11 Can	Not suitable for central	heating systems.		
	15 ESOTP	15	1	200
	Part No.	SIZE MM	Bag Qty	Box Qty

Hot and Cold water only, 65°C maximum.


#### **BRASS CHROME PLATED SERVICE VALVE \***



	Part No.	Size MM	Bag Qty	Box Qty
	10HSVP	10	1	50
	15HSVP	15	1	50
_	22HSVP	22	1	20

Suitable for central heating systems.

## **BRASS CHROME PLATED SERVICE VALVE** WITH TAP CONNECTOR \*



## **BRASS CHROME PLATED BALL VALVE \***

	Part No.
and the second second	15B
	22B

NO.	MM	QTY	Q1
15BVP	15	1	40
22BVP	22	1	20

## **STOP VALVE**



l

Suitable for central heating systems Each valve has a red and a blue indice.

## **BRASS DRAIN COCK**



Part No.	SIZE	Bag Qty	Box Qty
15BDCP	15	1	50
Suitable for central Manufactured in DZ			

Speedfit Drain Cocks cannot be used where collet covers are fitted. They can be used with a standard fitting fitted with a collet clip.

## **DOUBLE CHECK VALVE**



Hot and Cold water only, 65°C maximum.

1/4 Turn Valves. These valves have been designed to allow temporary servicing of downstream equipment and must only be used in the fully open or fully closed position.

Do Not use these Valves:

- In a partially open position to control flow.
- To provide a permanent termination.
- Without tubing assembled or plugged (or threaded connections sealed).

• As a tap or "faucet".

1/4 Turn Valves are indicated by this marker '•'

## **BRASS STOP VALVE**

PART No.		Size MM	Bag Qty
15BSC	Р	15	1
Only suita	ole for central h	eating systems.	
Manufactu	red in DZR Bra	SS.	

## WASHING MACHINE TAP \*



Part No.	SIZE MM X BSP	Bag Qty	Box Qty
15APTP	15 x 3/4"	1	200
	entral heating systems. er only, 65°C maximum		
For maximum toro please see Techn	que figures on plastic th ical Checklist.	read,	



## PRE PACKED PRODUCTS CONTINUED

Products packed in a bag with instructions

**PRE PACKED PIPE & PIPE ACCESSORIES** 

## SUPERSEAL PIPE INSERT

To be used with Speedfit Pipe and Speedfit fittings, to give enhanced sealing.

STS22 P 22 Suitable for central heating systems.

Part No.

STS10 P

STS15 P

See page 3 for details.

## NAIL CLIP

Part No.	Size MM	Bag Qty	Box Qty
NPC10P	10	20	5000
NPC15P	15	20	2000
NPC22P	22	10	1000

SIZE MM

10

15

Bag Qty

10

10

5

Вох Qту

5000

3000

1000



FOR MERCHANDISING SUPPORT SEE PAGE 23

## PIPE CUTTER



Part	Раск	Box
No.	Дту	Qty
JG-TS	1	30

For up to 22mm size pipe.

## SPEEDPEX BARRIER PIPE



SIZE MM X M Part No. Раск Qту Box QTY 10BPEX-25C 10 x 25 1 20 15BPEX-25C 15 x 25 1 8 15BPEX-50C 15 x 50 1 5 22BPEX-25C 22 x 25 1 8 22BPEX-50C 22 x 50 5 1

British Gas accepted for water pipe in vented and sealed central heating systems.

Suitable for central heating systems.

## SPEEDPEX BARRIER PIPE



Straight lengths. 15 & 22mm in packs of 20. 28mm in packs of 10.

PART	SIZE	PACK
No.	MM X M	Qty
15BPEX-20x2L	15 x 2	20
15BPEX-20x3L	15 x 3	20
22BPEX-20x2L	22 x 2	20
22BPEX-20x3L	22 x 3	20
28BPEX-10x3L	28 x 3	10

Suitable for central heating systems.

### **PIPE INSERT**

	Part	SIZE	BAG	Box
	No.	MM	Qty	Qty
	TSM10NP	10	10	5000
	TSM15NP	15	10	3000
To be used when	TSM22NP	22	5	1000
To be used when	TSM28NP	28	5	500

connecting Speedfit Pipe to a Speedfit fitting or a compression fitting.

Suitable	for	central	heating	systems.	

## **TECHNICAL CHECKLIST - PLUMBING AND HEATING FITTINGS**

#### Fittings and pipe should be kept clean and undamaged before use.

- Sizes. 10mm to 28mm diameter.
- Pipes. Speedfit fittings can be used with:
  - Copper pipe to BS EN 1057
    Speedfit Barrier Pipe to BS7291

Speedfit fittings cannot be used on stainless steel pipe

- Standards. Speedfit products are designed and manufactured under a fully integrated system assessed by B.S.I. to BS EN ISO9001. They are approved by the Water Regulations Advisory Scheme and BBA. Speedfit 'PEM', 'PSE' and 'SFM' Fittings and Speedfit Barrier Pipe are Kitemarked to BS7291 Parts 1, 2 and 3 Class S (Licence No. KM39767).
- Applications
  - Mains fed and indirect cold water systems
  - Vented and unvented hot water systems
  - Vented and sealed central heating systems
- DO NOT USE FOR Gas, fuel oil or compressed air applications.
- Working Temperatures and Pressures.

Application	Usual working M temperature, °C	laximum working M temperature, °C	aximum working pressure, bar
Cold Water (indirect and direct n	20 nains)	20	12
Central Heating	82	105, short term malfunction at 114	3
Hot Water (including unvented c	65 ylinders)	95	6

- Burst Pressure (fittings). With copper or plastic pipe at 20°C: Speedfit fittings used with copper or Speedfit Barrier Pipe will withstand pressures well in excess of normal service conditions.
- High Temperatures. Can withstand 114°C intermittently for short periods.
- The Speedfit system should not be used on an uncontrolled heat source.
- Insulation. Should comply with BS6700 and BS5422, as for copper.

•	Minimum Bend Radii (BPEX)				
	Pipe Diameter	10mm	15mm	22mm	28mm
	Min radius with clips	100mm	175mm	225mm	300mm
	Min radius with cold forming bend	30mm	75mm	110mm	

Clip Spacing (in mm)

## For Surface Mounted Pipes

Pipe Diameter	Clip S	pacing
	Horizontal Run	Vertical Run
10-15mm	300mm	500mm
22mm	500mm	800mm
28mm	800mm	1,000mm

Where pipe is concealed, clipping may only be required where necessary.

- Expansion (PEX pipe). 1% on length between 20°C and 82°C.
- Flow Rates. Comparable with metal systems.
- Cleaners, Inhibitors and Descalents. For advice on the replenishment of additives such as corrosion inhibitors, the following manufacturers should be contacted: Fernox Manufacturing Limited on 01799 550811 or Sentinel, BetzDearborn Limited on 0151 420 9595
- Paint and Chemicals. Use only water or oil based paint. Collet covers prevent paint ingress into fittings. DO NOT ALLOW CONTACT WITH oil based jointing compounds, cellulose based paints, paint thinners or strippers, solder flux or acid based descalents or aggressive cleaning products.
- Solder Flux. No fluxes of any types should come into contact with JG Speedfit Pipe and Fittings. If fluxes are to be used in an environment where Speedfit is installed, then (1) extreme care should be taken to ensure that no such contact takes place and (2) JG recommend installers only use fluxes tested and approved in writing in advance by JG. At the date of this publication, the only such approved flux is Fernox Flux.
- Chlorine. Speedfit is not suitable for use in systems where the water contains high levels of chlorine. e.g. swimming pools, fountains etc.
- Exposure to Sunlight. Speedfit products, when used indoors, are not affected by sunlight. When used outdoors protect from ultra violet light by lagging or painting.
- Pipe Clips. Pipe clips should not be fitted any closer than 60mm from the end of the fitting. Pipe should be adequately supported by pipe clips to prevent undue stress (side load) on fittings.
- Pipe Inserts. Must be used on all installations when using plastic pipe and should be fully inserted. Only use a Speedfit Insert with Speedfit Pipe.
- Metal Joists. When 'cabling' plastic pipe through metal joists ensure rubber grommets are in place to prevent damage to pipe. Use of collet covers or collet clips on fittings recommended.
- Connection to Boilers. A minimum 1 metre run of copper pipe must be installed between the boiler and the Speedfit system, as per BS5955: Part 8.

- Connection to Copper Pipe. 450mm is the minimum distance to make a solder connection on copper pipe inserted into a Speedfit Fitting. Ensure that any residual flux and solder does not come into contact with the fitting.
- Concrete and Masonry. Speedfit pipe and fittings can be laid in concrete and masonry providing they are installed in conduit pipe with access boxes for the fittings. This is to enable the pipe to expand and to provide accessibility for both pipe and fitting. As stated in Water Regulation Schedule 2.7 and BS8000: Part 15, fittings and pipe should be removable for possible replacement. Insulation is also recommended to protect against heat loss and the effects of frost.
- Electrical Continuity. If Speedfit is used in an existing metal system which
  may have been used for earthing, electrical continuity should be reinstated.
- Valves and Taps. Plastic 15mm and 22mm valves and taps available from JG Speedfit Ltd are not suitable for central beating installations.
- 1/4 Turn Valves. These valves have been designed to allow temporary servicing of downstream equipment and must only be used in the fully open or fully closed position.

Do Not use these Valves:

- In a partially open position to control flow.
- To provide a permanent termination.
- Without tubing assembled or plugged (or threaded connections sealed).As a tap or "faucet".
- Collet Covers. Collet covers provide added security against pipe disconnection, e.g. the fittings coming into contact with rigid surfaces and behind dry-lining walls. They are offered in white as standard and in red or blue to provide colour coding of pipe.
- Collet Clips. White and Grey collet clips are used with standard fittings to prevent accidental pipe disconnection. Red or blue clips provide colour coding of pipe. Red and blue clips should not be used to prevent accidental release of pipe.
- Continuously Operated Re-Circulating Systems (Secondary Hot Water Circulation/Ring Main Installations): A continuously operated recirculating system is a water-replenished circulating system which is maintained at a constant high temperature to provide a constant source of hot water. Continuously operated re-circulating systems are used to distribute constant hot water to draw off points that may be distant from the source or hot water storage vessel. Continuously operated re-circulating systems are very different from conventional hot water supply and central heating systems found in domestic properties, for which our products have been tested to, under either BS7291 2010 Class S or WRAS approval standards, and for this reason Speedfit products must not be used on any continuously operated recirculating systems as they are not approved under the current version of these standards. The exception would be those systems which have been designed for domestic situations with intermittent temperature of less than a maximum of 65°C. This is in accordance with BS7291.
- System Testing. To ensure the pipework and fittings have been installed correctly, whether it be on a new or extended system, it is essential that the system is checked and hydraulically wet tested. Testing should be at 2 bar for 10 minutes and 10 bar for 10 minutes. This testing, combined with other relevant checks, should reveal installation problems and is regarded as good plumbing practice. Speedfit Stop Ends and Plugs are particularly useful during this operation, enabling all outlets and any fittings to be easily plugged. However, system testing should not be regarded as a substitute for correct installation. See also "Making a Good Connection".
- System Flushing. As is usual practice for any plumbing installation, flushing
  of the system prior to the use of Speedfit is recommended to remove any
  contaminants/chemical residue from elsewhere in the system.
- British Gas Service has accepted the John Guest Speedfit fittings as being suitable for open vented and sealed central heating systems and as eligible for acceptance onto its service contracts.
- Products within this Price List are designed for use within UK plumbing and heating installations or in other countries where similar installation requirements apply. For information on products suitable for use in other countries please consult our Technical Advisory Service.
- Vermin. Speedfit products should not be used in vermin infested areas.
- Maximum Torque Figures (BSP & BSPT). Plastic threads are not generally as strong as brass threads. Customers and end users should be aware of this when choosing products for their applications. Overtightening of plastic threads will cause undue stress and eventual cracking and leakage. The maximum torque figures for BSP and BSPT threads used on Speedfit plumbing products in mating threads conforming to relevant BS or International thread standards are shown below.

Threads	Size	Maximum Torque
Plastic	1/2"	3.0 Nm
	3/4"	4.0 Nm
Brass	1/2"	4.0 Nm
	3/4"	5.0 Nm

It is recommended that all installations are checked prior to use to determine that a seal has been made.

 Side Loads. Fittings should not be subject to excessive side loads and they should not be used as support brackets. Tubing and fittings should be adequately supported to prevent excessive side loading.

## **TECHNICAL CHECKLIST - UNDERFLOOR HEATING**

- Applications. Underfloor Heating Installations in solid or timber floors.
- Pipes. 15mm JG Speedfit Barrier Pipe to BS 7291, Parts 1, 2 and 3 Class S.
- DO NOT USE Speedfit UFH Products for Gas, Fuel Oil or Compressed Air Applications.
- Floor Insulation. Should be a suitable material and thickness to comply with current regulations.
- Minimum Bending Radii. For Speedfit B-PEX Pipe is 175mm.
- Expansion (PEX Pipe). 1% on length between 20°C and 82°C.
- Cleaners, Inhibitors and Descalents. For advice on the replenishment of additives such as corrosion inhibitors, the following manufacturers should be contacted Fernox Manufacturing Limited on 01799 550811 or Sentinel, BetzDearborn Limited on 0151420 9595.
- Paint and Chemicals. Only use water or oil based paint. DO NOT ALLOW CONTACT WITH cellulose based paints, paint thinners or strippers, solder flux or acid based descalents or aggressive household cleaning products.
- Exposure to Sunlight. Speedfit products, when used indoors, are not affected by sunlight. When used out doors protect from ultra violet light by lagging or painting.
- Pipe Inserts. Must be used on all installations when using plastic pipe and should be fully inserted.
- Electrical Components. Electrical products in the Speedfit Underfloor Heating System are designed only to be used in U.K. Electrical Supply situations.

- Electrical Continuity. If Speedfit is used in an existing metal system which
  may have been used for earthing, electrical continuity should be reinstated.
- Collet Clips. White and Grey collet clips are used with standard fittings to prevent accidental pipe disconnection. Red or blue clips provide colour coding of pipe. Red and blue clips should not be used to prevent accidental release of pipe.
- Pre-Screed System Testing. To ensure the pipework has been installed correctly and prior to the screed being laid, it is essential that the system is checked and hydraulically wet tested.

Testing should be carried out at 2 bar for 10 minutes and 10 bar for 10 minutes.

This testing, combined with other relevant checks, should reveal installation problems and is regarded as good plumbing practice.

 Pressurisation During Screed Laying & Curing. In accordance with BS1264-4, the system should be left under pressure at a minimum of 6 bar for the duration of the laying and curing of the screed.

Under NO circumstances should the UFH System be used to quicken the screed drying process.

- System Flushing. As is usual practice for any plumbing installation, flushing
  of the system prior to the use of JG Speedfit is recommended to remove any
  contaminants/chemical residue from elsewhere in the system.
- Vermin. Speedfit products should not be used in vermin infested areas.
- Frost Protection. During the installation process it is important that pipe containing water be protected from frost.

## **TECHNICAL CHECKLIST - FITTINGS FOR COLD WATER SERVICES**

- Applications. Speedfit Fittings for Cold Water Services are designed to connect MDPE pipes (MRS-PE80) used above or below ground, to convey potable water from distribution mains to individual properties.
- Pipes. The Fittings can be used with:-
  - Blue MDPE pipe to BS6572.
  - Black MDPE pipe to BS6730.
  - Pipes conforming to ISO161/1, BS ISO11922 and DIN16893.
- Adaptors. Are available for:-- Copper to BS EN1057 and PEX or PB to BS7291.
  - Copper to BS EN
     Screwed pipe.
- LDPE to BS1972 Class C and Class D in 1/2" and 3/4" sizes.
- Fittings for PEX and Copper Pipe. Must not be buried into ground, soil, concrete or other substrates.
- Working Temperatures and Pressures. Maximum working pressure 16 Bar @ 20°C.
- Standards. The Fittings are approved by the Water Regulations Advisory Scheme.
- Performance. The fittings are manufactured from tough plastic material well able to meet the stringent requirements of the water industry. They have been approved by the WRAS and, as such, have passed the 'pull out test' where a force shown below is applied to a connection between MDPE pipes and a fitting for 5 minutes without the connection failing.

		Size	
Test Force	20mm	25mm	32mm
Newtons	1900	2500	4100
lbs	427	562	921

 DO NOT USE FOR Gas, Fuel Oil or Compressed Air Applications or Hot Water.

- Chemical Effects. For below ground applications the fittings require no additional preparations - coating etc. When used above ground, avoid contact with aggressive chemical compounds. Protect from frost where necessary. In the United Kingdom, potable water does not contain high levels of chemicals (eg chlorine etc) that would adversely affect Speedfit Underground Fittings.
- Exposure to Sunlight. Permanent exposure to direct sunlight will necessitate lagging the fittings.
- **Pipe Inserts.** Pipe inserts must be used and fully inserted on all connections to MDPE, LDPE, PEX or PB pipe.
- System Testing. Pressure test to 1.5 times working pressure for 10
  minutes before connecting to the mains supply. It is recommended
  that all pipe and fitting installations are pressure tested after
  installation before handing over to the final user
- Maximum Torque Figures. The maximum torque figures for BSP and BSPT threads used on Speedfit products are as follows:-

Size	Maximum Torque
1/2	3.0 Nm
3/4	4.0 Nm

It is recommended that all installations are checked prior to use to determine that a seal has been made.

The maximum torque figures quoted for use with Speedfit fittings are dependent on the mating thread conforming to the relevant British International thread standards.

## **GENERAL CONDITIONS OF SALE**

#### 1. GENERAL

(a) These conditions and any special conditions agreed in writing between us and the purchaser shall apply to all by us and all orders and contracts for the manufacture or sale of goods accepted or carried out by us to the exclusion of any conditions in the purchaser's order terms or otherwise imposed by the purchaser.

(b) All orders are subject to our written acceptance and in particular no binding contracts shall be created by the acceptance by the purchaser of a quotation or offer made by us unless and until we shall have accepted the order in writing.

#### 2. DOCUMENTS

(a) Unless otherwise stipulated in our written acceptance all descriptions, illustrations, drawings in our catalogues and literature (copies of which are available on request) or submitted independently, estimates of performance, weights and measurements or other specifications provided by us are approximate only and we reserve the right to alter or amend the same at any time.

 (b) We reserve the right at any time to correct clerical or technical errors in the contract documents.
 (c) The purchaser shall furnish with his order all necessary specifications and information. We take no responsibility for goods manufactured, priced or delivered not in accordance with the order or the specifications unless the purchaser's order and specifications are clear and correct in every particular.

#### 3. ADVISORY SERVICE

The advisory service which we provide in connection with our goods is part of our sales service and we do not make any charge for advice given. Any advice and assistance is given at the purchaser's risk and we shall not be liable for any loss, damage or claims arising therefrom.

#### 4. HEALTH AND SAFETY AT WORK ACT

The purchaser's attention is drawn to the installation, maintenance and operating instructions given in our catalogues or literature. These should be carefully followed. Further information if required is available at our Head Office.

#### 5. PRICES

(a) Unless otherwise stipulated all prices contained in our quotations and written acceptances are ex works and do not include the cost of packing. All orders are accepted on the condition that all such prices are subject to revision by us at any time before the goods are dispatched to take account of any increase in costs.

(b) In the event of the whole order quoted for not being placed with us we reserve the right to revise our prices. (c) We also reserve the right to revise our prices if any changes are made by the purchaser in the specifications or quantities of the goods or delivery requirements after the order has been accepted.

#### 6. VALUE ADDED TAX

VAT if not included in our quotation shall be added and payable where and at the rate applicable.

#### 7. MINIMUM CHARGE

Depending on the product or service provided, a minimum order charge may be applicable. Details of these charges are as shown on current price lists or quotations or are available from the Customer Services Department.

#### 8. TERMS OF PAYMENT

(a) Unless otherwise stipulated in our written acceptance our terms of payment are 30 days from date of invoice. (b) Overseas business is accepted subject to special terms as to payment to be agreed prior to our written acceptance of the order

(c) Where the contract is to be or may be fulfilled in separate installments, deliveries or part payment for each such installment delivery or part shall be made under sub-clause (a) above as if the same constituted a separate contract. (d) We shall be entitled to interest on all sums overdue at the rate of two and one half percent above our bank's base rate from time to time in force.

(d) In the event of the purchaser for any reason whatsoever failing within one calendar month of the due date for payment to effect any payment which may be due under the contract or any contract with us, or if he commits any breach of the contract, or if he becomes insolvent or commits any act of bankruptcy or calls a meeting of or enters into a competition with or for the benefit of his creditors, or being a body corporate, has a receiver appointed of its undertaking or assets or any part thereof or a winding up order is made against the purchaser or the purchaser goes into liquidation (save for the purpose or reconstruction or amalgamation), we shall thereupon be entitled, without prejudice to our other rights, forthwith to terminate the contract or any unfulfilled part thereof, or at our option to make partial deliveries.

#### 9. CANCELLATION

No order or other contract may be cancelled or varied except by agreement in writing with us, and on such terms as we may stipulate.

#### 10. HANDLING CHARGE

Goods supplied in accordance with the purchaser's order may later be returned to us at our discretion provided the goods are unused. The purchaser will be required to pay to us a handling charge of 15% to 30% of the then current list price of such returned goods, dependent on the condition of the goods.

#### 11. TIME FOR DESPATCH

(a) All periods or dates quoted for despatch and delivery are approximate only.

(b) We shall be entitled, without liability on our part and without prejudice to our other rights, to terminate the contract or any unfulfilled part thereof, or at our option to suspend or make partial deliveries if the completion or the manufacture of the goods by us or by our suppliers is prevented, hindered or delayed whether directly or indirectly by reason of the purchaser failing to furnish necessary information or instructions, or of any strikes, lock-outs, fire, flood, accident or damage to goods or delay in obtaining or inability to obtain through scarcity of materials, or any other cause whatsoever beyond our or our suppliers' reasonable control, whether such cause exists at of the date of the order or not

#### 12. DELIVERY AND RISK IN GOODS

(a) Unless otherwise expressly agreed in writing, or as otherwise herein provided, delivery of the goods shall be deemed to be made when we have notified the purchaser that the goods are ready for despatch from our works and the risk in the goods shall thereupon pass to the purchaser. We shall not in any event be under any obligation to give to the purchaser the notice specified in Section 32 (3) of the Sale of Goods Act 1979.

(b) Notwithstanding that our prices are ex works we are prepared by special contract to procure carriage or freight and insurance on behalf of the purchaser and at his cost in which event we shall be under no liability for damage in transit loss or damage to the goods beyond the point of which we contract to deliver the same.

## (c) The following provisions shall apply in relation to all deliveries of goods.

(i) we will entertain no claim for damage in transit, shortage of delivery or loss of goods, unless in the case of damage in transit or shortage of delivery a separate notice in writing is given to the carrier concerned and to us within three days of the receipt of the goods, followed by a complete claim in writing within five days of receipt of the goods and in the case of loss of goods, a separate notice in writing is given to the carrier concerned and to us and a complete claim in writing made within thirty days of the date of consignment;
 (ii) where goods are accepted from the carrier concerned without being checked the delivery book of the carrier

concerned must be signed 'not examined';

(iii) we shall have the right to attend at the purchaser's premises to inspect any goods in respect of which any such claim is made and the purchaser shall retain such goods until we shall have inspected such goods or until we have notified the purchaser that we do not wish to inspect such goods;

(iv) any breach of this condition shall dis-entitle the purchaser to any allowance in respect of the claim.

(d) Without prejudice to our other rights, should the purchaser fail for any reason to send us forwarding instructions within ninety days after the date of our notification that the goods are ready for despatch or to accept delivery of the goods we shall be entitled at the purchaser's risk and expense to store the goods and/or to procure or effect storage of the goods elsewhere. Goods so stored shall be paid for as if they had been dispatched and/or accepted

#### 13. PROPERTY IN THE GOODS

Until further payment has been received by us for all goods whatsoever supplied at any time by us to the purchaser: (a) Property in the goods shall remain in us.

(b) Subject to sub-clauses (c) and (d) below the purchaser shall be at liberty to sell the goods in the ordinary course of business on the basis that the proceeds of sale shall be our property and that the purchaser shall account to us on demand.

(c) We may at any time revoke the purchaser's power of sale by notice to the purchaser if the purchaser is in default for longer than seven days in the payment of any sum whatsoever due to us or if we have bona fide doubts as to the solvency of the purchaser.

(d) The purchaser's power of sale shall automatically cease if the purchaser becomes insolvent or commits any act of bankruptcy or calls a meeting of or enters into composition or arrangement with or for the benefit of his creditors. or being a body corporate has a receiver appointed of its undertaking or assets or any part thereof or a winding-up order is made against the purchaser or the purchaser goes into liquidation (save for the purposes of reconstruction or amalgamation).

(e) Upon determination of the purchaser's power of sale under sub-clause (c) or (d) above the purchaser shall place the goods at our disposal and we shall be entitled to enter any premises of the purchaser for the purpose of removing such goods from the premises.

#### 14. SPECIAL TOOLS OR DIES

Where it is necessary for us to manufacture or to purchase special tools, dies, jigs, mandrills in order to execute a contract the purchaser will be charged with a proportion of the cost of such special tools. Any such tools remain our property even when the purchaser has been charged with part of the cost.

#### 15. TEST AND PERFORMANCE

(a) Our goods are, where practicable, submitted to our standard test before delivery. If special tests are required, these shall be made at our premises unless otherwise agreed, and will be charged extra.

(b) We accept no liability for failure to attain any performance figures quoted by us unless we shall have specifically guaranteed them with an agreed sum as liquidated damages and the purchaser has suffered loss by reason of the failure to attain the figures quoted.

(c) Any particulars of weights and measurements, power and consumption, power output or performance relating to the goods and like matters furnished by us to the purchaser in our catalogues, literature or otherwise, are approximate and are intended only to present a general idea of the goods to be supplied and unless previously agreed specifically in writing shall not form part of the contract.

#### 16. FAULTS AND DEFECTS AND EXCLUSION OF LIABILITY

(a) We warrant that if within twelve months of delivery of the goods to the purchaser the purchaser returns immediately to our premises any of the said goods which he considers to be defective, carriage paid, properly packed and clearly marked with the purchaser's full name and address and any other information such as serial numbers which may be necessary to enable the goods to be identified, together with a complete description of the respects in which it is alleged that the goods are defective, such goods will be examined and should we be satisfied that the goods are defective, they will be repaired or new goods will be supplied in exchange and the goods so repaired or such new goods will be delivered to the purchaser free of charge at our premises provided that the foregoing warranty shall only be applicable if upon being required by us to do so the purchaser proves to our satisfaction: (i) that the defect was due solely to defective workmanship;

(ii) that no alterations or repairs have been made to the goods except with our written consent; (iii) that the defect was not caused by incorrect or negligent handling or storage, disregard of operating instructions,

over-loading, unsuitable work, faulty erection or any other default by the purchaser, his servants or agents (iv) that the defect was not caused by fair wear and tear, accident, or any other matter beyond our reasonable control occurring after the date of receipt by the purchaser.

(b) All costs and expenses, including freight charges, customs duties and insurance costs incurred in returning the goods to our premises in accordance with this condition shall be for the account of the purchaser. The benefit of this warranty shall not be assignable by the purchaser.

(c) The warranty contained in sub-paragraph (a) above does not extend to any goods not manufactured by us although supplied by us nor does it extend to any second-hand or reconditioned goods. Goods not manufactured by us carry only the warranty (if any) of the makers and the purchaser is entitled to the benefit thereof only so far as we have the power to transfer it.

(d) The terms of this condition are in lieu of all conditions, warranties or other terms as to description, fitness for purpose, condition, merchantability, quality or otherwise in respect of the goods or repaired or replacement goods whether expressed in the contract or implied by common law, custom or statute and notwithstanding that such purpose or condition may be, may become or may have been known to us. Apart from our obligation to repair or replace goods in accordance with the terms of this condition, we accept no liability in respect of the goods whether for consequential loss or loss of profits or damages to third parties or otherwise, to the extent permitted by law.

#### 17. INDEMNITY

The purchaser shall indemnify us against all actions, claims, demands, penalties and costs by third parties in tort, or for infringement, or alleged infringement, of patents, registered designs or other industrial property rights, or otherwise arising, in connection with the goods or with their delivery or unloading or with work done by us on the goods manufactured in accordance with the purchaser's specifications.

#### 18. LIEN

In addition to any right of lien to which we may by law be entitled we shall have a general lien on all goods of the purchaser in our possession (although such goods or some of them may have been paid for) for the unpaid price of any other goods sold and delivered to the purchaser by us under the same or other contracts

#### 19. WAIVER

Our rights shall not be affected or restricted by any indulgence or forbearance granted to the purchaser. No waiver by us of any breach shall operate as a waiver of any later breach.

## 20. LAW AND JURISDICTION

The rights and obligations of the parties and all the terms and conditions thereof any disputes arising out thereof shall be construed in accordance with English Law to the jurisdiction of the courts of which the purchaser shall submit

#### 21. GENERAL

If any of these conditions or any part thereof:

(i) purports to exclude or restrict or limit any liability and such exclusion or restriction or limitation is prohibited or rendered void or unenforceable by any legislation to which it is subject;

 (ii) is itself prohibited or rendered void or unenforceable by any legislation to which it is subject; then the exclusion restriction or limitation on the condition or part thereof in question shall be so prohibited or rendered void or unenforceable to the extent to which it is prohibited or rendered void or unenforceable and no further and the validity or enforceability or any other part of these conditions shall not thereby be affected.

## John Guest Speedfit Limited

Horton Road, West Drayton, Middlesex UB7 8JL, England. Tel: 01895 449233 Fax: 01895 420321. www.speedfit.co.uk Technical Help Desk: 01895 425333



John Guest fittings and related products are specifically designed and manufactured by John Guest to the Technical Specifications set out in the John Guest Product Catalogues. All John Guest fittings and related products should be selected, installed, used and maintained in accordance with these Technical Specifications. It is the customer's / user's responsibility to ensure that John Guest fittings and related products are suitable for their intended applications, are properly installed and maintained and are used in accordance with the Technical Specifications. It is also the customer's / user's responsibility to provide it's own customers with any relevant technical information about John Guest products at supplies them.

Speedfit should not be used for gas, fuel oil or compressed air applications. John Guest produce a push fit system of pipe and fittings for compressed air situations. See separate literature for details.

The company has a policy of continuous research and development and reserves the right to amend without notice the specification and design of all products illustrated in this catalogue. John Guest Speedfit reserve the right to change the colour and shape of products. Photographs are for illustration purposes only. Subject to our Terms and Conditions of Sale shown on page 30.

JC, John Guest<sup>°and</sup> Speedfit<sup>°</sup> are registered trademarks of John Guest International Limited © Copyright 2011.

AVAILABLE FROM:	:		

Z2105/19/03/11